# Public Health Reports

VOLUME 64

**DECEMBER 30, 1949** 

NUMBER 52

#### IN THIS ISSUE

Community Mental Health Improvement Through Schools
Rat-bite Fever in Montana
Defects in the Sanitary Environment on Vessels



FEDERAL SECURITY AGENCY

PUBLIC HEALTH SERVICE

# FEDERAL SECURITY AGENCY Oscar R. Ewing, Administrator

PUBLIC HEALTH SERVICE

Leonard A. Scheele, Surgeon General

Division of Public Health Methods G. St. J. Perrott, Chief of Division

# CONTENTS

	Page
A public health approach to improving community mental health through the schools. Charles A. Ullman	165
Rat-bite fever in Montana. W. L. Jellison, Paul L. Eneboe, R. R. Parker and Lyndahl E. Hughes	166
Defects in the sanitary environment on vessels. Ralph C. Graber and Arthur P. Miller	1660
INCIDENCE OF DISEASE	
United States:	
Reports from States for week ended December 10, 1949	167
Communicable disease charts	1674
Territories and possessions:	
Hawaii Territory—Plague (rod_nt)	167
Panama Canal Zone—Notifiable diseases—October 1949	1678
Deaths during week ended December 10, 1949	1678
Foreign reports:	
Finland—Notifiable diseases—October 1949	1676
Japan—Notifiable diseases—5 weeks ended October 29, 1949, and accumulated totals for the year to date	1676
Reports of cholera, plague, smallpox, typhus fever, and yellow fever received during the current week—	
Plague	1677
Smallpox	1677
Typhus fever	1677

# Public Health Reports

Vol. 64 • DECEMBER 30, 1949 • No. 52

# A Public Health Approach To Improving Community Mental Health Through the Schools

By CHARLES A. ULLMANN, ED. D.\*

The extension of public health methods to the field of mental health has reached a point where it is possible to demonstrate how our present and emerging knowledge of the conditions favoring sound mental health may be applied within the framework of existing community programs. This is a report of a project in which the goal of improved public health was approached through collaboration between the mental health clinic in a health department and a school system in providing better educational and general health services to children.

The primary function of this clinic is to develop methods by which communities may utilize resources within their grasp to improve the mental health of their members. Through offering service to children referred from the schools a need was discovered for the establishment in the community <sup>1</sup> of a remedial reading program for elementary school child.en. This field of education, in which the basic knowledge is relatively well known, appeared to be one in which particular application was needed. The project not only accomplished this tangible objective but set off a chain of events with desirable effects from a public mental health standpoint that extended beyond the immediate objective and created a pattern for coordinating activities of the clinic with those of other community agencies concerned with mental health. These activities are described in the final pages of this report.

# The Reading Project

The reading project began when the principal of a public elementary school read in the newspaper about the establishment of the clinic and then asked the father of one of her pupils to apply for help for his boy. The father, a milk-routeman, telephoned the clinic for an appointment for his son. He was invited to come in alone first and discuss the problem, following which the boy would be seen.

Mr. B. was extremely concerned about his son's inability to read and expressed eagerness to do all he could to advance James. He and his wife had been aware of James' retardation in reading ever since the boy had been in the second grade—

1 Prince Georges County, Md.

<sup>\*</sup>Clinical Psychologist, Prince Georges County (Maryland) Mental Health Clinic. This demonstration clinic is sponsored jointly by the Maryland Department of Health and the Public Health Service.

and he was now 12 years old and in the sixth grade. Mr. B. was critical of the school both for not teaching James to read and for promoting him to the sixth grade without being able to read. He was attempting to tutor James at home, but he disliked having to do this because it was upsetting to the family not to see results. He wanted assistance and had come to the clinic for it.

When James came to the clinic, he said almost at once that he could not read certain words. At school, the children and some of the teachers were annoyed with him because he could not read, and he said that sometimes the children laughed at him. When the children teased him about being unable to read, he fought with them and he did not have very many friends. He was willing to be helped in reading, but he showed no evidence of being convinced that anything could be done. He knew that other people thought that he was very stupid and

sometimes he himself thought so too.

Examination showed that James, although somewhat below average, had sufficient mental ability to read better than he actually did. He was lacking in independence of study methods. When blocked, he immediately asked for help. When given a word in the course of the examination, he retained it. The over-all picture was that of a beginning reader with a small stock of words he recognized at sight but who had no genuine reading techniques. Since the diagnostic reading examination gave no evidence that James was lacking in the abilities needed in learning to read if he were given instruction at his actual level of skill, a visit was paid to his classroom. It was learned that he was one of 311 pupils in a nine-teacher school. Generally, his reading was heard by a more capable member of his class after this pupil had finished his own studies. The teacher felt that James needed more individualized attention than she could afford with a class of nearly 40 and explained that she hoped the clinic could provide assistance. She added that if the clinic were successful in devising ways to meet James' problem she had two other pupils she would like to refer.

Under the circumstances the temptation was great to undertake the remedial training of James at the clinic. But it was felt that simply helping James and demonstrating the value of remedial reading for him was not the important objective at this time. The demonstration to be undertaken must be truly preventive and deal with the situation in which James' problem occurred. The task of providing for an adequate number of teachers and buildings to accommodate the swollen population of the county was not within the scope of the clinic. But the prospect of vacant classrooms over the vacation period suggested the possibility of summer reading classes. The problem and the possibility were therefore brought to the superintendent of schools who was also on the advisory board of the clinic. He immediately acknowledged the responsibility of the school for providing such educational services and undertook to present the problem with a plan to his board of education.

As a result of joint planning, the elementary schools were to canvass their classrooms to find children who presented reading difficulties and refer them to the clinic for diagnostic study and treatment planning. (Junior high schools operated remedial programs during the regular school year.) The board of education engaged two elementary

teachers for the special summer project and sponsored their attendance at a brief workshop between the close of the school term and the opening of summer school. In less than 6 weeks from the submission of the clinic proposal to the superintendent of schools, summer classes for 32 pupils began. Because of the examinations conducted in the clinic prior to the opening of summer school, the teachers were ready on the first day of school to begin the type of work each child needed.

The change in the children's reading skills as a result of 20 days of summer instruction, while generally in the direction of improvement, was nominal and a prologue to further change during the following school year. However, the change in attitudes toward school and reading, on the part of many children and parents, was an important and dramatic outcome. Upon entering the classroom, children went with increasing frequency to the library to read or look at books. They read most of the time when they were not working with the teacher. They asked to take books home, or they told of reading newspapers or comics at home, things which they had not done be-Nervous mannerisms of some of the children appeared to sub-Parents of nearly half of the pupils came to school on their own initiative to observe the classes, and they were eager to learn how they as parents could help the children further. They told of the children's changed attitude and mentioned that the children insisted on coming to school even when they did not feel well.

In the school year following the summer session, the children were watched by the supervisor of the summer program through reports and conferences with principals and teachers who received the pupils. Classroom visits by the supervisor sought to conserve the gains of the summer by providing the new teacher with information and suggestions about further instruction of these children and by assuring the children of continued interest in their individual progress. A few children were again referred to the clinic for more thorough study

than had been possible initially.

In addition to the direct benefits to the children involved, certain long-range benefits accrued from this enterprise, and these were perhaps the most important outcomes. Some parents, who previously had been critical of the schools as they witnessed their children's accumulating experience of failure, began to express appreciation for this manifest attempt to understand and deal with the reading problem. Teachers of the regular session were encouraged in their efforts to meet children's reading needs as a result of the activity by supervisory personnel in the establishment and conduct of the project. During the following school year teachers in five schools began special-help programs in reading, and the curriculum reflected a generally renewed interest in and emphasis upon basic instruction in reading.

The board of education made plans for a summer remedial reading program to become a regular feature, and in the following summer the program was not only tripled in size but lengthened by 2 weeks.

Finally, the project demonstrated how the mental health clinic in a health department can approach the objective of improving the mental health of a community, not by assuming the responsibilities normally borne by the established institutions, but by integrating its activities with theirs and finding ways to enlarge the mental health implications of their services.

#### **Coordinated Activities**

This section describes the activities developed within the framework of the foregoing principle. One of these was a study of the problem presented by slow-learning children in the schools. The referral of such children to the clinic by visiting teachers led to frequent recommendations in the reports sent out by the clinic that a special educational program be established to meet the needs of exceptionally slow learners. A small facility was in existence in one school, but this was most inadequate to fill the apparent need in the system as a whole. When the clinic made a general proposal to the superintendent of schools that the facilities be increased, he expressed an interest in undertaking a survey of the numbers and areas of greatest concentration of children who might require special educational provisions and he requested the assistance of the clinic in conducting such a survey. The clinic developed a survey blank for obtaining evidence from teachers on the characteristics and needs of each slow-learning child. Before the survey was completed, fiscal considerations indicated that the provision of special facilities for exceptionally slow learners would have to be delayed. It was decided, nevertheless, to use the results of the survey both as a means of inquiry into other needs of children, especially those needs that might be met without an increase in financial outlay, and as a possible means of direct service to the individual children surveyed.

In studying the survey blanks and in follow-up with teachers, it was observed in one school, for example, that although 25 percent of the children nominated as slow-learners were considered by their teachers to suffer from malnutrition, and although defects of vision, hearing, and speech were also ascribed to members of the slow-learning group, no teacher included correction of physical health factors as a primary recommendation in dealing with the slow-learning group. On closer study, wide variations were seen in the teachers' capacity to observe and provide for the physical and mental characteristics of children in their classes. Efforts by classroom teachers and principals to eliminate barriers to learning revealed diverse practices,

ranging from expert use of the school program and environment and an eager seeking of additional resources, to failure to utilize available knowledge of health status in promoting classroom learning, and display of mistaken understanding of the respective roles of the classroom teacher and of personnel providing specialized services. The observation of perhaps widest significance was this apparent failure on the part of classroom teachers to realize fully their role in providing for the flow of specialized services to children, such as those provided by the school-lunch supervisor, the nurses, and the visiting teachers. Even teachers who were reaching out for help appeared to be without knowledge of the procedures for meeting the needs of children with health problems. It appeared important therefore to undertake a clarification of the health obligations and opportunities of the classroom teacher and to restate her relationship to the various specialized services available to her.

Following discussion with a group which included the school health education supervisor and the supervising nurse in the county health department (which gave school-nursing services), a proposal was submitted to the superintendent of schools for the establishment of a committee composed of school instructional and supervisory personnel concerned with health, and of personnel from the health department, including the mental health clinic, for the purpose of developing a statement of the responsibilities, activities, and resources for the teacher and others concerned with the functioning of a health pro-This statement was designed to cover such matters as health observation, maintenance of health records, prevention and correction of maladjustments through use of the school program and environment, and use of specialized services. Such a statement was regarded as a useful element in the orientation of new teachers and the in-service training of the present teaching staff, as well as in supervision and in the integration of the health education and health-services programs. The formation of such a committee was promptly authorized and its organization is under way.

This health project led to an increased awareness of the importance of eliminating the physical, intellectual, and emotional barriers to learning as part of any program of child guidance in the schools. When the time for planning the second summer of remedial reading arrived, it was used as a means not only of providing direct psychological services for some children on an individual basis as in the first summer, but for demonstrating a case conference procedure which integrated the efforts of the various specialists concerned with the

health and welfare of the child in school.

Again a survey blank was devised, in this instance calling for information relating to pupils' reading, such as present reading ability, characteristic mode of attack on unfamiliar words, visual and auditory symptoms, nutritional status, characteristic behavior, presence of special talents, learning difficulties of siblings, teacher's opinion of cause of reading deficiency, and teacher's recommendation for remedial action. One completed blank was submitted by the classroom teacher for each child whom she nominated for the remedial program. The data thus obtained, together with information available in the cumulative record folder and any data available in the records of the visiting teacher and public health nurse, formed the basis of a discussion of the child as a learner by a committee composed of the supervisor of elementary education, the principal, a public health nurse, a visiting teacher, the psychologist from the mental health clinic, and, when opportunity permitted, the classroom teacher concerned. A conference was held in each of the 30 schools where children were nominated and, in all, 367 children were considered.

Out of these discussions, various actions resulted: acceptance of children for the remedial reading program; conditional acceptance or deferral of decision pending further study by the principal, visiting teacher, public health nurse, mental health clinic and/or family physician; rejection for reading program together with suggestions

for achieving adjustment through other resources.

This pooling of efforts not only brought together all available information about a child at a critical point in his education, but also provided a laboratory for working out some of the problems of professional relationship and for clarifying the roles of the teaching personnel and the specialists. The health education supervisor participated in a number of the discussions and the superintendent of schools, the assistant superintendent, the county health officer and the education supervisor of nurses also visited. Eight public health nurses, each of whom felt a responsibility for the health program of the schools in her territory, found a new means of reaching their objectives. Principals acquired a fuller appreciation of the nature of some problems which had been presented initially in terms of reading and they learned to make a discriminating use of the mental health Teachers found that their cumulative records took on a new importance and they later expressed themselves as disposed to make an even more effective contribution to the conferences in subsequent years. As channels for communication developed, new mental health problems in the schools were uncovered, particularly a need to study the various teaching and administrative devices for dealing with pupil "failure," and a pattern emerged whereby mental health values might be attained through enabling existing community services to do their work "the mental health way."

### Rat-bite Fever in Montana

By W. L. JELLISON, Ph. D., \* PAUL L. ENEBOE, M. D., \*\* R. R. PARKER, Ph. D., †
and Lyndahl E. Hughes\*

A clinical case of rat-bite fever in Montana, the first reported case in the Rocky Mountain region, and the demonstration of infection in a population of house mice with which the patient had contact are

reported here.

Rat-bite fever is a widely distributed, infectious disease of rodents. It is most frequently communicated to man by the bite of rats, Rattus spp., occasionally by the bite of other rodents, and rarely by the bite of dogs, cats, or ferrets which presumably have become contaminated by eating infected rodents. The causative agent is Spirillum minus (Carter).

The clinical symptoms of rat-bite fever resemble in some respects another disease which follows the bite of rats and is called Haverhill fever, the infectious agent of which is *Streptobacillus moniliformis* Levaditi, Nicolau and Poincloux. No doubt many cases diagnosed clinically as rat-bite fever have, in fact, been Haverhill fever. Demonstration of the etiological agent is desirable for differential diagnosis of the two diseases.

Human infection is most frequently reported in India and Japan, but is also known in Europe, Canada, the United States, and other countries. In a review by Bayne-Jones (1) of the 81 cases that had been reported in the United States up to 1931, only 5 cases in which the diagnosis was confirmed by demonstration of the organism, S. minus, are recorded. All other cases were diagnosed on clinical evidence. Larson (2) cited 19 cases in which S. minus had been isolated and he reported the 20th case. Hull (3) states that only 110 cases had been reported in the United States up to 1941. These were scattered over 28 States. He also states, "The only large area from which no cases were reported was the sparsely populated Rocky Mountain region."

In none of the published literature available do the authors find a report of human infection attributed to the bite of a house mouse (Mus musculus). Spontaneous infection in the conspecific laboratory white mouse is cited by Francis (4) for the United States and by Hull (3) for India.

# Case Report

On October 5, 1948, S. S., a white girl, aged 9, was bitten on a finger by a mouse which she found sick or injured in the yard at her

<sup>\*</sup>Rocky Mountain Laboratory, Hamilton, Mont. \*\*Boseman, Mont. †Died Sept. 4, 1949,

farm home about 10 miles north of Bozeman, Mont. On October 12 her finger became swollen and painful; there were malaise and chilly sensations. She was first seen by a physician October 21. At that time her oral temperature was 103° F. Physical examination was negative except for a series of macules extending up the right arm to the axilla. The finger showed no ulceration or swelling. The macules varied in size from 0.5 to 2 centimeters in diameter and were not tender on pressure. She was given one dose of 300,000 units of penicillin aluminum monostearate intramuscularly, and 5 grains of sulfadiazine four times daily was prescribed.

The child was hospitalized for observation October 25. Her oral temperature was 101° F., pulse rate 110, red blood cells 3,790,000, white blood cells 6,400, hemoglobin 77 percent. A differential count showed 28 percent small lymphocytes, 3 percent monocytes, 68 percent polymorphonuclear leukocytes, and 1 percent stab cells. Macules were still present on the arm at this time. Urinalysis was negative. A blood specimen was sent to the Montana State Hygienic Laboratory for agglutination tests, including that for tularemia; the report on this specimen was negative. Sulfadiazine was discontinued, and she was given 5 grains of phenacetin every 4 hours and was discharged October 26.

During the next few days her oral temperature varied from 102° F. to 105° F. She had, however, no particular complaints except malaise.

She was again admitted to the hospital November 1. She did not appear acutely ill, and the macules were hardly noticeable. Temperature on admission was 104.4° F. (rectal) and laboratory studies showed red blood cells 3,630,000, white blood cells 11,650, hemoglobin 70 percent. A differential count showed 12 percent lymphocytes, 2 percent monocytes, and 86 percent polymorphonuclear leukocytes. Urinalysis was negative. A second blood specimen was taken and reported negative for tularemia by the State Hygienic Laboratory.

Because of a clinical diagnosis of tularemia, streptomycin therapy was started immediately with a dosage of 0.2 gram every 4 hours, parenterally. The first injection was given at 3 p. m. November 1. At 6 p. m. the rectal temperature was 103.4° F., at 10 p. m., 103.6° F., and at 2 a. m. it was 98° F. It did not thereafter rise above 99.4° F. rectally while the patient was in the hospital or during convalescence at home. After six doses of streptomycin, the interval between doses was increased to 6 hours. Treatment was continued for 4 days. The patient was discharged November 6.

A third blood specimen was taken March 30, 1949. This was reported negative for tularemia by both the State Hygienic Laboratory and the Rocky Mountain Laboratory. The former also reported

a negative Wassermann test. This reaction is reported by some workers to be positive in cases of rat-bite fever. Another portion of this specimen of serum was submitted April 1, 1949, through the National Institutes of Health to the Veterans' Administration Hospital, Washington, D. C., where an agglutination test was made for Streptobacillus moniliformis, the causative agent of Haverhill fever. This test was reported as negative.

In this case, the following clinical symptoms are more characteristic of rat-bite fever than of Haverhill fever: early induration of the initial lesion; adjacent lymphadenitis; absence of arthritis; and absence of

petechial rash.

# Field and Laboratory Study

On a suspicion that this illness might be rat-bite fever, one of us (Jellison) visited the farm home of the patient on March 10, 1949. The farm is located in a cultivated area of the Gallatin Valley 10 miles north of Bozeman on the Spring Hill road. Seventy-two snap traps were set in the barn and granary in the late afternoon and yielded 40 mice the following morning. All were the common house mouse, Mus musculus L. These were refrigerated to be taken to the Rocky Mountain Laboratory, part in dry ice and part in snow, since it was not known whether rat-bite fever infection in animal tissues would survive dry ice refrigeration.

Blood smears and impression smears of the liver, spleen, and heart muscle of 16 of the mice were stained <sup>1</sup> and examined. The heart-muscle smears of all 16 mice contained numerous organisms typical of *S. minus*, the spirilla appearing to be in the heart muscle and not

in the blood. The other tissue smears were all negative.

The spleens of the remaining 24 mice were divided into 6 pools of 4 spleens each. Each pool was triturated in sterile saline, and the resulting suspension was injected into one white rat, one guinea pig, and four white mice. There was no febrile reaction in the guinea pigs during 22 days. Blood smears and heart-muscle impression smears made on the 60th day were negative. Blood smears from the white mice were examined on the 3d, 5th, 7th, 10th, and 18th days after injection. All smears were negative on the 3d, 5th, and 7th days. The four mice in one lot were positive on the 10th day, and one or more mice in three additional lots were positive on the 18th day. Two lots remained negative. No sign of illness was exhibited by these mice up to the 30th day. Organisms were found in the blood smear of

<sup>&</sup>lt;sup>1</sup> The staining technique used was one employed routinely at this laboratory for blood and tissue smears. One drop of Giemsa spirochaete stain (Hynson, Westcott, and Dunning, Inc.) is added to 1 cc. of distilled water; the slides are flooded with this diluted stain and after 20 minutes are drained and rinsed with pure acctone. This technique has proved very satisfactory for thin films, thick films, and for tissue impression smears.

only one of the six white rats when they were bled and discarded on the 18th day.

A second visit was made to this farm March 23–25, 1949, to obtain live house mice for experimental work and also to sample the wild mouse population near the farm buildings and in adjacent fields. The following animals were also taken in kill-traps, and heart impression smears were examined for S. minus: from the farm buildings and adjacent yard, 3 M. musculus, 11 Peromyscus, 9 Microtus; from an isolated granary one-fourth mile north of farm buildings, 3 M. musculus, 9 Peromyscus, 4 Microtus; and along the highway two miles south of the farm buildings, 2 Peromyscus, 6 Microtus. Organisms were demonstrated in two of the three house mice trapped in the farm buildings, but none were found in Peromyscus or Microtus from the immediate area. Organisms typical of S. minus were found in heart-muscle impression smears of one of four specimens of Microtus trapped at the isolated granary.

#### Discussion

A human case of rat-bite fever in California caused by the bite of a wild field mouse was reported by Reitzel, Haim, and Prindle (5). The diagnosis was confirmed by demonstration of Spirillum minus in inoculated animals. No identification of the mouse other than "wild field mouse" was given, and this may include any one of several genera of native mice. Another case diagnosed by clinical evidence of human infection from a mouse bite was reported by Jenkinson and Jordan (6). The kind of mouse was not designated.

In 1946, F. A. Humphreys <sup>2</sup> of the Laboratory of Hygiene, Kamloops, British Columbia, established a strain of infection in laboratory animals injected with the tissues of two house mice, *Mus musculus*. These mice were collected at Ladner, near Vancouver, British Columbia. The infection was identified as rat-bite fever and *Spirillum minus* was demonstrated in the blood of test animals by one of the authors of

this paper (Hughes).

A case of rat-bite fever in southern Idaho in September 1937 has been reported to the writers by Dr. L. J. Peterson.<sup>2</sup> Infection was attributed to the bite of a wild mouse, and spirilla were observed in blood smears from the patient. The case report has not been published.

In the case reported here, the diagnosis of rat-bite fever was made too late to demonstrate the infectious agent in the patient's blood, lymph nodes, or initial lesion. The clinical history is consistent with rat-bite fever. The patient was bitten by a mouse (domestic rats, Rattus spp., are entirely absent from this section of Montana) near her home where at least three genera of mice, Microtus, Mus, and

Information by correspondence.

Peromyscus, were present in and about the farm buildings. On the morning of August 4 the patient was shown three freshly trapped mice, representing these three genera, and without hesitation picked the specimen of Mus as resembling the mouse that had bitten her. Spirillum minus was demonstrated in heart-tissue smears of each of the 16 house mice, M. musculus, examined that were trapped in these buildings March 10, 1949. S. minus was also demonstrated in one field mouse, Microtus sp., which was trapped about one-fourth mile from the residence March 25, 1949. Numerous other local specimens of Microtus and Peromyscus were examined but were not found infected.

### Summary

A case of rat-bite fever that occurred in the fall of 1948 in a 9-yearold girl living on a farm near Bozeman, Montana, is reported. Streptomycin therapy was initiated 19 days after onset; the patient's temperature became normal within 24 hours, and convalescence was uneventful. Infection apparently resulted from the bite of a mouse, probably a house mouse. Spirillum minus was demonstrated in hearttissue smears of 16 house mice trapped in the farm buildings and in those of one field mouse trapped in a field one-fourth mile away.

#### REFERENCES

- (1) Bayne-Jones, S.: Rat-bite fever in the United States. Internat. Clin. 3: 235 (1931)
- (2) Larson, C. L.: Rat-bite fever in Washington, D. C., due to Spirillum minus and Streptobacillus moniliformis. Pub. Health Rep. 56: 1961-1969 (1941).
   (3) Hull, T. G.: Diseases Transmitted From Animals to Man. Ed. 3. C. C. Thomas, Springfield, Ill., 1947.
   (4) Francis, E.: Rat-bite fever and relapsing fever in the United States. Trans.
- Assoc. Am, Phys. 47: 143-149 (1932)
- (5) Reitzel, R. J., Haim, A., and Prindle, K.: Rat-bite fever from a field mouse. J. A. M. A. 106: 1090 (1936).
  (6) Jenkinson, H. R., and Jordan, C. F.: Case of rat-bite fever caused by bite of a wild mouse. J. Iowa M. Soc. 22: 31-32 (1932).

# Defects in the Sanitary Environment on Vessels

By RALPH C. GRABER, M. S., and ARTHUR P. MILLER. C. E.\*

Prior to the inception of the present program of the Division of Sanitation on May 26, 1945, the active interest of the Public Health Service in sanitation aboard vessels was limited; many environmental factors capable of having a serious impact on health were not receiving the emphasis they merited. After that date, the objectives were broadened (1) to aid in the exclusion of communicable diseases from the United States, (2) to assist in the elimination of the transmission of disease from one State to another, and (3) to help protect and promote the health and welfare of passengers and seamen by the production and maintenance of an environment aboard vessels free of defects detrimental to health.

The phases of sanitation receiving attention in the present program are those pertaining to the potable, wash, and sanitary water systems; plumbing and plumbing fixtures; disposal of solid and liquid wastes; food stowage, handling, preparation, and serving; insect and rodent control; swimming pools; heating, lighting, and ventilation; rat-

proofing; and general sanitation.

Inspections of operating vessels are made at piers by field personnel working under the supervision of the regional offices of the Public Health Service. Experience has shown that a minimum of two inspections a year of each operating vessel is required to maintain a reasonably satisfactory environment, because the physical condition of ships, and often their operating personnel, are constantly changing. The philosophy pervading this program is similar to that of any other sound public health program. It is based, for the most part, upon voluntary participation of vessel owners, operators, and crew members in an educational approach to removing defects and improving the environment on any United States flog vessel.

In 1947, an evaluation was made of the character and number of detected infringements upon good sanitary practice that might contribute to the incidence of disease. This study was accomplished during October 1947 by reviewing the original inspection reports on file in the regional office, New York. These inspections had been completed between August 17, 1945, and October 24, 1947, at the ports of New York, Boston, and Philadelphia. Each inspection

<sup>\*</sup>Senior Sanitary Engineer, and Sanitary Engineer Director, respectively, Division of Sanitation, Public Licalth Service.

report was carefully studied and all infringements noted were tabulated. A record was also made of the type of vessel involved in each inspection, because the vessel type and its normal method of operation tend to bear upon the occurrence of certain items of non-conformance with accepted sanitary practices.

Because the present vessel sanitation program was in its infancy at the time of this study, many factors inherent in such a new activity tended to influence its accomplishments. The guiding materials or standards, for example, were in the early stages of development and therefore subject to frequent revision. In the main, personnel engaged in this program's field work were new, and difficulty was experienced in obtaining uniform interpretation of the standards. Relationships between the regional supervising personnel and the responsible officials within the maritime industry had not been firmly established. As the majority of the vessel companies during that time were operating ships leased to them by the United States Maritime Commission and had little responsibility for making permanent improvements on them, there were problems in arousing interest among the operators to act to remove any defects found in a vessel's sanitary environment.

Table 1

potential and the second		Number	of defects dete	cted
Type of vessel	Number of inspections	Structural (built-in)	Operational	Totals
Cargo—Liberty Cargo—Victory Cargo—C-1 Cargo—C-2 Cargo—C-3	740 363 200 212 89	2, 010 912 437 503 210	11, 414 4, 638 2, 272 2, 434 908	14, 333 5, 550 2, 706 2, 937 1, 148
Ali cargo vessels	1, 624 245	4, 981 794	21, 696 2, 675	26, 677 3, 466
All vessels	1,869	5,775	24, 371	30, 146


Table 2

		nber of defects oversel inspected	
Type of vessel	Structural (built-in)	Operational	Both
Cargo—Liberty Cargo—Victory Cargo—C-1. Cargo—C-2. Cargo—C-3.	4.0	15. 4	19. 4
	2.5	12. 8	15. 3
	2.2	11. 4	13. 5
	2.2	10. 5	12. 7
	2.4	10. 5	12. 9
All cargo vessels	3. 1	13, 4	16. 4
	3. 2	10. 9	14. 2

The detected infringements found by this study have been divided into (1) those that were built into vessels during their construction, and (2) those resulting from imperfect operation and maintenance. The data have also been summarized according to the type of vessel inspected. Table 1 shows the gross number of defects or infringements detected.

Another comparison is made in table 2 to show the average number of detected defects per vessel inspected.

The chart illustrates the comparative averages of the numbers of detected defects on the various types of cargo vessels and compares the weighted average number found on all cargo vessels and the average number found on tanker vessels. The additional 2.2 defects



Average number of defects detected per vessel inspected.

found on cargo vessels when compared to tankers may be due to the fact that the construction of cargo vessels necessarily includes many more potential rat harborages with a corresponding increase in the number of possible ratproofing defects.

Table 3 contains data on the occurrence of a selected but representative group of items of nonconformance with recommended sanitary practices. These data were also divided to indicate the difference of item occurrence with relation to the type of vessel.

Table 3

	Percent of indicated type of vessel on which selected defects were detected					
Nature of defect		55,4	Cargo			Tankers
	Liberty	Victory	C-1	C-2	C-3	T-2 and T-3
Structural (built-in)						
Absence of approvable drinking fountains	15. 1 67. 5	8.8	4.5	7.8	6.7	33.0 5.3
space	51.4	1.9	0.5	0.4	4. 5	24. 1
calley	21.0	12.7	10.0	19.0	15.7	39, 1
Absence of multiple-vat sink for utensil washing	4.2	39. 1	23.5	11.2	36.0	47.7
No indicating thermometer for utensil rinse water	84. 9	83.1	88.5	85.0	88. 6	46.1
Potable water outlets without air gaps Deck storage boxes not ratproofed	11. 4 21. 0	14. 9 9. 1	24. 5 9. 5	13. 8 10. 8	12.5 4.5	11.5
Operational						
Potable water system not identified	84.3	56.7	65.0	55, 6	48.3	64.0
Cross connection at potable water pump suction	15. 4	11.3	17.0	14. 2	10.1	0
Cross connection at distilled water discharge	63.0	49.3	44.0	18, 1	21.4	35. 9
Garbage improperly stowed in galleyGarbage improperly stowed on deck	61. 8 67. 2	63.6	58.0	50.4	61. 8 55. 1	69. 4 26. 1
No baskets available for bactericidal treatment of	01.2	00.7	90.0	30. 1	00. 1	20. 1
dishes.	91.2	88.8	84.5	84.9	81.9	82.0
Rinse water for utensils not maintained at 170° F	90.6	89. 5	85.0	84.0	84.3	81.6
No signs warning food handlers to wash hands	89. 6	85.1	83.0	78. 9	87.6	81. 2
Potable water distribution system cross-connected	57.5	37.5	41.5	27.6	24. 7	37.6
Decks in food spaces not clean	36.1	28.1	21.5	23. 3	15.7	21.
proofing)	13, 7	10. 2	3.0	3.4	2.2	4.1

With exceptions, there is some consistency in the percentages of various types of vessels showing the presence of the selected, representative defects. This is more applicable to those items related to human error, i. e., operational, than to those of a structural nature. An example of this consistency is the improper stowage of garbage in the galley, a defect readily remedied by an improvement in house-keeping procedures. The more extreme variations in percentages may be attributable to differences in the construction of certain features on the types of inspected vessels. For example, multiple-vat sinks for utensil washing were more consistently built into the Liberty and C-2 types than the other types of cargo carriers. On the other hand, even though comparatively few Liberty type vessels were not satisfactorily

equipped to accomplish the bactericidal treatment of multi-use eating and drinking utensils, it is evident from table 3 that such treatment

was not being provided adequately.

Much remains to be done by all concerned and interested to produce a sanitary environment on many vessels. Not only must adequate facilities be provided by building them into a ship during construction or major repair, but, of greater significance, the proper and satisfactory use of the adequate facilities must be obtained. The maritime industry is showing a greater awareness of the need to provide good and adequate facilities and to bring about their use to the greatest advantage. As the human element is involved, particularly in the satisfactory use of appropriate equipment when it is supplied, accomplishment must depend largely upon education. But through cooperation and education, the objectives of the program will be attained and thereby benefits of a permanent nature will accrue to the vessels of our merchant marine.

the example of this densistance called improve commercial particles in

real separate of the control of the

# INCIDENCE OF DISEASE

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring

#### UNITED STATES

#### REPORTS FROM STATES FOR WEEK ENDED DECEMBER 10, 1949

The decline in reported cases of poliomyelitis has been almost as steep as the increase. The low week of the calendar year was April 9 when 41 cases were reported. The rise in cases reported since then has been steady, passing 100 cases on May 21, and reaching the peak 19 weeks later on August 20, when 3,420 cases were reported. For the current week ended December 10, 322 cases of poliomyelitis were reported. This is the sixteenth consecutive weekly decline in poliomyelitis since the peak. However, in spite of this continuous increase, the week's total is higher than the 5-year median (1944–48) of 168 cases. The cumulative total for 49 weeks of 1949 is 41,783, as compared with 27,016 for the same period of the preceding year and 19,021 for the 5-year median.

The geographic distribution of cases for the 49-week period with percentages for the current year and the preceding year is as follows:

	1949, 49	9 weeks	1948, 49	weeks
	Number	Percent of total	Number	Percent of total
New England	3, 406	8. 2	401	1. 5
Middle Atlantic	7, 875	18. 9	2, 997	11, 1
East North Central	9, 752	23. 3	4,053	- 15.0
West North Central	6, 662	15. 9	4, 950	18. 3
South Atlantic	1, 978	4.7	4, 516	16. 7
East South Central	1, 813	4. 3	949	3. 5
West South Central	4, 827	11.6	2, 400	8. 9
Mountain	2,043	4. 9	830	3. 1
Pacific	3, 427	8. 2	5, 920	21. 9

All other notifiable diseases showed little change from the preceding week. The reported incidence for the following diseases increased over the preceding week but remained below the 5-year (1944–48) median.

Disease	Current	Last week	Median
Influensa	2, 554	2, 142	2, 813
Measles	2, 009	1, 619	2, 787
Scarlet fever	1, 461	1, 340	2, 161
Tularemia	22	15	35
Whooping cough	2, 227	2, 026	2, 252

Diphtheria decreased from 211 cases last week to 209 for the current week and meningococcal meningitis dropped from 79 to 56 cases for the current week. One case of smallpox was reported in Arizona.

Telegraphic case reports from State health officers, for the week ended December 10, 1949 [Leaders indicate that no cases were reported]

A. A	Division and State	Diptheria	Enceph-	Influenza Measles	Measles	Menin- gitis- menin-	Pneu- monia	Polio- myelitis	Rocky Mt.	Scarlet	Smallpox	Tulare- mia	Typhoid and para-	Whoop- ing	do de
AA.  AA.  AA.  AA.  AA.  AA.  AA.  AA.	NEW ENGLAND					goeoccari		A -1	lever	1 - E1	0 018	siile oqen	. Igver		
A. A	Maine New Hampshire	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	286	9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	11 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	98		1	1	7EV	04
AL 16 1 1 1 2 2 2 2 1 1 1 1 2 2 2 2 1 1 1 1	Vermont Massachusette Rhode Island Connecticut		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	44 44	1	909			121	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				888
ALL  11  25  26  47  77  71  11  26  44  44  44  44  44  44  44  44  44	MIDDLE ATLANTIC New York Now Jensey	900			25	4.4	233	20.00		100	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		3	TOWN T	19201
ALL 1 3 46 6 7 7 12 28 7 7 12 28 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	EAST NORTH CENTRAL Obio. Indiana Illinois. Michigan	1 1111		80 -68	8812	400	2°8%		\$ 1 0 0 1 0 0 0 9 0 0 0 0 0 0 0	184 57 130	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	61 60 60	love w	EST W. SO	2882
TLANTIC TO THE TOTAL TOTA	Wisconsin West north Central. Minnesota			e 8	8 85 8		. 848			8 385		(0)	6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	SECTION	5 0-2
6 1 1 18	North Dakota. Bouth Dakota. Nebraska. Kansas.		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 5			1000			118			1	1///080	2000
The same of the sa	Delaware Maryland District of Columbia West Virginia Worth Carolina	1000		9 Kg	o18548	-	3088	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		**************************************			THE TO	EPROPE	82428


	000	22 22 22 22 22 22 22 22 22 22 22 22 22		20 g w	80	252	25.5 25.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5
			8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8			લંલ	63, 556 93, 756 (39th) Oct. 1 16, 964 17, 880
,	-8-8	44	1 1 1 C	1 2 5 0 4 0 0 6 6 0 0 6 6 0 0 0 6 0 0 0 7 0 0 0 8 0 0 0 0 8 0 0 8 0 0 8 0 0 8 0 0 8 0 0 8 0 0 8 0	6	47 52	43,507 3,876 (11th) Mar. 19 43,047 3,401
	CS .	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	64	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 0 0 0 0 0 0 1 0	258	61,040
	5	8 8 8 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		8 1 8 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1	48 327 (35th) Sept. 3
-	2222	8045	œ œ	1004	116	1, 461 2, 161	71, 269 106, 885 (32d) Aug. 13 13,000 20, 590
	8 8 6 6 0 8 6 6 0 8 8 8 6 8 8 8 8 8 8 8 8 6 8 8 8 8 8 8 8 8 6 8 8 8 8 8 8 8 8 8 6 8 8 8 8 8 8 8 8 8 6 8 8 8 8 8 8 8 8 8 8 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		# E E	0 P 8 E 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6 6 8 6 8 8 7 8 8 7 8 8 8 8 8 8 8 8 8 8 8	1	510
	<b>v</b> → m ≠	4 60	-401		249	322	41, 783 19, 021 (11th) Mar. 19 40, 868 18, 758
	52 52 57 17	2882	913	1-2%	35.22	1,682	73,040
-	+ -8			- 8-	1 8	56	3, 225 5, 465 (37th) Sept. 17 700
	1300	elene ĝ	S 4 4 4	3228	138	2,009	601, 088 584, 626 (35th) Sept 3 12, 570 18, 238
	1528	62 2 81 1,666	00	106	∞~∞	2, 554	214, 299 (30th) July 30 23, 180 25, 204
	1 1 1 5 3 6 6 8 5 6 6 8 5 6 7 8 6 8 8 6 8 8 7 8 8 8 8 8 8 8	69	1 1 1 0 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1	11 8	731
	200	F-10-4-2	-	00-	64.60	209	7, 597 13, 018 (27th) July 9 3, 829 6, 550
	Kentucky Tonnessee Alabama Miesisippi *	west south central. Arkansas. Louisiana. Oklahoma. Teras.	Mountain Montana Idabo Wyoming	New Mexico. Ugah ' Nevada	PACEFIC Washington Oregon. California	Total Median, 1944-48	-07-890

Including paratyphoid fever currently reported separately as follows: Ohio 1, Indiana 1, Texas 1, Colorado 1, California 9.
 Cases reported as salmonella infection not included in the table were as follows: Massachusetts 2, New York 2.
 Including cases reported as streptococcal sore throat.
 Period ended earlier than Saturday.
 Period ended earlier them Saturday.
 Period ended December 3; Florida, 2 cases of typhoid fever instead of tularemia.
 The median of the 5 preceding corresponding periods (1944-45 to 1948-49).

Leprasp: California, week ended Nov. 36, 1 case. Alasha: Messles 44, pneumonia 1. Hawaii: Influenza 229, measles 2.

#### **Communicable Disease Charts**

All reporting States, November 1948 through December 10, 1949



The upper and lower broken lines represent the highest and lowest figures recorded for the corresponding weeks in the 7 preceding years. The solid line is the median figure for the 7 preceding years. All three lines have been smoothed by a 3-week moving average. The dots represent numbers of cases reported for the weeks of 1949.

#### TERRITORIES AND POSSESSIONS

#### Hawaii Territory

Plague (rodent).-Under date of December 7, 1949, plague infection was reported proved in 6 rats collected in District 6A, Honokaa Area, Hamakua District, Island of Hawaii, T. H. Three of these rats were killed, 2 found dead, on November 16, 1949, and 1 found dead on November 23.

#### Panama Canal Zone

Notifiable diseases-October 1949.- During the month of October 1949, certain notifiable diseases were reported in the Panama Canal Zone and terminal cities as follows:

	Residence 1										
Disease	Panar	na City	Ce	olon	Cana	il Zone	Zon	ide the e and ninal ties	Т	otal	
the extension in the	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	
Chickenpox	5	1	5	******	8		1 1		19 1	i	
Amebic	1		1		1 2		2	1	3		
Hepatitis, infectious Malaria <sup>3</sup> Measles	1	i	1	*******	3 8	*******	3 76	i	. 80 9		
Meningitis, meningo- coccal Mumps	2			******			1		1 10		
Paratyphoid fever Pneumonia Poliomyelitis		5	1	6	8 3 25	3		7	* 25	21	
Petanus Puberculosis Undulant fever	******	16	******	8	******	*******	1	8	(3)	3:	
Whooping cough	1	2	******	. 3	10	*******	5	*******	* 10 5		

<sup>&</sup>lt;sup>1</sup> If place of infection is known, cases are so listed instead of by residence.

#### DEATHS DURING WEEK ENDED DECEMBER 10, 1949

76.0	Week ended Dec. 10, 1940	Corresponding week, 1948
Data for 94 large cities of the United States: Total deaths. Median for 3 prior years. Total deaths, first 49 weeks of year Deaths under 1 year of age, first 49 weeks of year Deaths under 1 year of age, first 49 weeks of year Data from industrial insurance companies:	9, 535 9, 649 449, 379 701 700 32, 066	9, 450 449, 00 683 32, 666
Policies in force.  Number of death claims.  Death claims per 1,000 policies in force, annual rate.  Deaths claims per 1,000 policies, first 40 weeks of year, annual rate	60, 968, 453 13, 244 9, 9 9, 1	70, 772, 413 13, 038 9, 6 9, 2

 <sup>&</sup>lt;sup>2</sup> 5 recurrent cases.
 <sup>3</sup> Reported in the Canal Zone only.
 <sup>4</sup> Death from case reported in July 1949.

#### FOREIGN REPORTS

#### FINLAND

Notifiable diseases—October 1949.—During the month of October 1949, cases of certain notifiable diseases were reported in Finland as follows:

Disease	Cases	Disease	Cases
Cerebrospinal meningitis	9 102 3 757 91	Poliomyelitis	54 497 73 18

#### **JAPAN**

Notifiable diseases—5 weeks ended October 29, 1949, and accumulated totals for the year to date.—For the 5 weeks ended October 29, 1949, and for the year to date, certain notifiable diseases were reported in Japan as follows:

Disease		ded October 1949	Total reported for the year to date		
	Cases	Deaths	Cases	Deaths	
Anthrax			10		
Dengue fever		*********	528	*********	
Diarrhea, infectious	6			9 100	
Diphtheria	1, 284	81	11, 732	1, 125	
Dysentery, unspecified Encephalitis, Japanese "B"	3, 001	973	22, 984	6, 549	
Incephalitis, Japanese "B"	428	193	1, 336	488	
Gonorrhea	16, 712	********	154, 725		
nfluenza	29		1,900		
eprosy	50		658		
Malaria	211	9	3, 562	58	
Measles	2, 197		159, 146		
Meningitis, epidemic	141	52	1, 342	398	
Paratyphoid fever	175	17	1, 964	96	
Pneumonia	6, 332		115, 353		
Poliomyelit's	352	Fat. 630 655	2,762		
Puerperal infection	106		815		
Rabies	11		61		
carlet fever	316	3	3, 706	54	
smallpox	010		120	12	
syphilis.	17, 027	*********	163, 305	**	
Cetanus	222	*********	1, 843		
Crachoma	13, 367	*********	156, 549		
uberculosis		*********			
	46, 842		401, 291	**************************************	
yphold fever	684	106	5, 624	705	
yphus fever	5	*********	0.1		
Vhooping cough	9, 541	*********	111, 082	********	

Note.—The above figures have been adjusted to include delayed and corrected reports.

#### REPORTS OF CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER RECEIVED DURING THE CURRENT WEEK

NOTE.—The following reports include only items of unusual incidence or of special interest and the occurrence of these diseases, except yellow fever, in localities which had not recently reported cases. All reports of yellow fever are published currently.

A table showing the accumulated figures for these diseases for the year to date is published in the Public

HEALTH REPORTS for the last Friday in each month.

Ecuador-Loja Province.—During the period October 16-31, 1949, plague was reported in Loja Province, Ecuador, as follows: In Jujal, Sozoranga, Macara County, 1 case; in Las Huertas, Celica County, 1 case.

Netherlands Indies-Java-Jogiakarta.—During the week ended October 29, 1949, 71 fatal cases of plague were reported in Jogjakarta Residency, Java, including 6 cases in Jogjakarta City; for the week ended November 5, 53 cases, all fatal, were reported, including 6 cases in Jogjakarta City.

Peru-Tumbes Province.—During the month of November 1949, 1 case of plague was reported in Tumbes Province, Peru.

#### Smallpox

Argentina.—Smallpox (alastrim) has been reported in Argentina as follows: September 1-30, 1949, 95 cases, including 17 cases in Buenos Aires; October 1-31, 44 cases (11 of these in Buenos Aires).

Burma—Bassein and Rangoon.—During the week ended November 26, 1949, 24 cases of smallpox were reported in Bassein, Burma, and 25 cases in Rangoon.

Colombia.—For the month of October 1949, 135 cases of smallpox (alastrim) were reported in Colombia.

Pakistan—Chittagong.—During the week ended December 3, 1949, 10 cases of smallpox were reported in Chittagong, Pakistan.

#### Typhus Fever

Colombia. - During the period October 1-31, 1949, 171 cases of typhus fever (including cases of murine type) were reported in Colombia. The city of Medellin reported 29 cases, all murine type, for this period.

# Notice Notice

If you receive this publication regularly, you will soon receive a card questionnaire asking whether you wish your name to be retained on the mailing list. This questionnaire is required by law so that the mailing lists will contain only the names of persons who express current interest in receiving the publication.

Regulations require that your name be dropped from the mailing list if you do not fill out the card questionnaire and return it within 30 days after its issuance. When you receive the card, be sure to return it if you wish to continue receiving copies of Public Health Reports.

musical property if I in a room and a college in section

The Public Health Reports is printed with the approval of the Bureau of the Budget as required by Rule 42 of the Joint Committee on Printing (August 10, 1949).

The Public Health Reports, first published in 1878 under authority of an act of Congress of April 29 of that year, is issued weekly by the Public Health Service through the Division of Public Health Methods, pursuant to the following authority of law: United States Code, title 42, sections 241, 245, 247; title 44, section 220.

It contains (1) current information regarding the incidence and geographic distribution of communicable diseases in the United States, insofar as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other important communicable diseases throughout the world; (2) articles relating to the cause, prevention, and control of disease; (3) other pertinent information regarding sanitation and the conservation of the public health.

The Public Health Reports is published primarily for distribution, in accordance with the law, to health officers, members of boards or departments of health, and other persons directly or indirectly engaged in public health work. Articles of special interest are issued as reprints or as supplements, in which forms they are made available for more economical and general distribution.

Requests for and communications regarding the Public Health Reports, reprints, or supplements should be addressed to the Surgeon General, Public Health Service, Washington 25, D. C. Subscribers should remit direct to the Superintendent of Documents, Washington 25, D. C.

Librarians and others should preserve their copies for binding, as the Public Health Service is unable to supply the general demand for bound copies. Indexes will be supplied upon request.

+++

UNITED STATES GOVERNMENT PRINTING OFFICE, WASHINGTON, D. C. : 1949

For sale by the Superintendent of Documents, United States Government Printing Office, Washington 25, D. C. Price 10 cents. Subscription price \$4.00 a year.

"The Tarrick Transport Representation of the property of the property of the state of the state

The track that at the case are realished to the track that the state of the state o

property see that except is the content of the cont

The control of the co

decreased and an included of the public of the public decreased and the public of the

A series of the contract of the street that the contract of the contract of the series of the contract of the series of the contract of the co

NAMES OF THE CONTRACT OF TAXABLE DESCRIPTION OF THE PROPERTY OF THE PARTY OF THE PA

and integral of the Carlotte Communication and Laprace Chapter and State of the Carlotte Communication and Carlotte Communication

PUBLIC LIBRARY
JAN 20 1950
DETROIT

# Public Health Reports

Issued Weekly by the PUBLIC HEALTH SERVICE

Index
Volume 64—Part II
Nos. 26–52
July–December 1949



FEDERAL SECURITY AGENCY

PUBLIC HEALTH SERVICE

#### FEDERAL SECURITY AGENCY

Oscar R. Ewing, Administrator

#### PUBLIC HEALTH SERVICE

Leonard A. Scheele, Surgeon General

Division of Public Health Methods G. St. J. Perrott, Chief of Division

The printing of this publication has been approved by the Director of the Bureau of the Budget (August 10, 1949).

The Public Health Reports, first published in 1878 under authority of an act of Congress of April 29 of that year, is issued weekly by the Public Health Service through the Division of Public Health Methods, pursuant to the following authority of law: United States Code, title 42, sections 241, 245, 247; title 44, section 220.

It contains (1) current information regarding the incidence and geographic distribution of communicable diseases in the United States, insofar as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other important communicable diseases throughout the world; (2) articles relating to the cause, prevention, and control of disease; (3) other pertinent information regarding sanitation and the conservation of the public health.

The Public Health Reports is published primarily for distribution, in accordance with the law, to health officers, members of boards or departments of health, and other persons directly or indirectly engaged in public health work. Articles of special interest are issued as reprints or as supplements, in which forms they are made available for more economical and general distribution.

Requests for and communications regarding the Public Health Reports, reprints, or supplements should be addressed to the Surgeon General, Public Health Service, Washington 25, D. C. Subscribers should remit direct to the Superintendent of Documents, Washington 25, D. C.

Librarians and others should preserve their copies for binding, as the Public Health Service is unable to supply the general demand for bound copies. Indexes will be supplied upon request.

UNITED STATES GOVERNMENT PRINTING OFFICE, WASHINGTON: 1951

# Public Health Reports Subject Index

# Key to Dates and Pages

No.	Date of issue	Pages	No.	Date of issue	Pages
26	July 1	817-855	40	Oct. 7	1247-1286
27	July 8	857-884	41	Oct. 14	1287-1310
28	July 15	885-908	42	Oct. 21	1311-1330
29	July 22	909-932	43	Oct. 28	1331-1362
30	July 29	933-959	44	Nov. 4	1363-1402
31	Aug. 5	961-990	45	Nov. 11	1403-1437
32	Aug. 12	991-1020	46	Nov. 18	1439-1498
33	Aug. 19	1021-1059	47	Nov. 25	1499-1537
34	Aug. 26	1061-1096	48	Dec. 2	1539-1574
35	Sept. 2	1097-1132	49	Dec. 9	1575-1602
36	Sept. 9	1133-1168	50	Dec. 16	1603-1630
37	Sept. 16	1169-1194	51	Dec. 23	1631-1654
38	Sept. 23	1195-1222	52	Dec. 30	1655-1677
39	Sept. 30	1223-1246			

#### A

Absenteeism, industrial sickness	1350
Actinomycosis: United States: Quarterly report by State 932, 1310,	1624
Allergy producing characteristics of vaccines	1251
Amblyomma maculatum, serological characteristics of a pathogenic Rick-	
etteia occurring in	1342
Ambrosia elatior (ragweed pollen)	1195
Anthrax: United States:	
Quarterly report by State 927, 1306,	1620
Weekly report by State	880,
905, 923, 1090, 1128, 1281, 1326, 1433, 1495, 1530, 1598,	1651
Antigen sensitivity among student nurses	820
Apparatus for controlling temperatures of film-processing solutions [Van	
Allen]	968
В	
	1250
	1098
Botulism: United States: Quarterly report by State 932, 1310,	1624
Brucella, oral administration of killed, to man [McCullough, Eisele, and	
Beal]	1613

Brucellosis in Minnesota:  An epidemiological study of [McGoffin, Kabler, Spink, and Fleming]	1021
Relation of human and bovine [Fleming and Roepke]	1044
Brucellosis symposium, National Institutes of Health, Sept. 22 and 23,	
1949	1051
The complete of the control of the c	
Calcification:	
Pulmonary lesions associated with sensitivity to histoplasmin [Fur-	1000
Pulmonary, sensitivity to tuberculin and to histoplasmin	1363 820
Cancer: United States: Quarterly report by State 932, 1310	1169
Caries experience, dental	1403
Case registers [Bellows]	1148
Case reporting, tuberculosis.	961
Case-work services, tuberculosis	1541
Cellulose tape, a method of supplying, to physicians for diagnosis of	1011
enterobiasis [Brooke, Donaldson, and Mitchell]	897
Chagas: United States: Quarterly report by State	1310
Chemists and biochemists examination	1402
Chickenpox: United States: Quarterly report by State 927, 1306,	
Cholera:	1020
Burma 854, 883, 908, 926, 989, 1019,	1304
Ceylon	
China	1058
India883, 989, 1019, 1131,	1193
Pakistan 989,	
Siam	854
World distribution: Asia 955, 1092, 1241, 1357,	1532
Choriomeningitis, lymphocytic: United States: Quarterly report by State-	932,
1310,	1624
Chronic disease prevalence with particular reference to syphilis [Kahn and	
Smith]	1201
Coccidioidomycosis: United States: Quarterly report by State 932, 1310,	
Colorado tick fever: United States: Quarterly report by State 932, 1310,	1624
Commissioned Corps examinations	1402
Communicable Disease Center:	
Refresher courses	1059
Training courses	1619
Communicable disease charts:	
Diphtheria	
Meningitis, meningococcal	903
Poliomyelitis	1395
Scarlet fever 1395,	
Typhoid and paratyphoid fever 1016, 1164,	
Whooping cough	10/4
Communicable diseases:	
United States (including Alaska and Hawaii): Incidence, current, by	940
State	849,
878, 902, 921, 950, 985, 1013, 1053, 1088, 1126, 1161, 1188, 1 1237, 1279, 1299, 1324, 1353, 1394, 1431, 1493, 1528, 1567, 1	
1237, 1279, 1299, 1324, 1333, 1394, 1431, 1433, 1323, 1301, 1625, 1649,	
See also Notifiable diseases; specific disease.	-0.1
not and a comment and and and and and and and	

Concept of multiphasic screening [Chapman]
Conjunctivitis: United States: Quarterly report by State 927, 1306, 1626
Corybacterium diphtheriae, nomenclature of strains
Courses, laboratory
Coxiella burnetii:
From H. savignyi collected in Spain [Parker, de Prada, Bell, and
Lackman]1616
Infection, spontaneous, of the brown dog tick, Rhipicephalus sanguineus,
with [Parker and Sussman] 1150
D
DDT residual house spraying for filariasis control
Death rates, tuberculosis, rural and urban1269
Deaths: United States: Weekly mortality index
881, 901, 924, 953, 990, 1017, 1056, 1096, 1132, 1168, 1193
1220, 1246, 1286, 1305, 1330, 1356, 1398, 1437, 1498, 1537, 1574
1599, 1628, 1654, 1678
Dengue: United States: Quarterly report by State 932, 1310, 1624
Dental caries experience
Denver rheumatic fever diagnostic services
Dermatitis: United States: Quarterly report by State 932, 1310, 1624
Diagnosis, refresher courses in laboratory 1059
Diarrhea: United States: Quarterly report by State 932, 1310, 1624
Diphtheria: United States:
Quarterly report by State 927, 1306, 1620
Weekly report by State 850,
879, 880, 904, 905, 922, 951, 986, 1014, 1054, 1089, 1127, 1162,
1189, 1218, 1238, 1280, 1300, 1325, 1354, 1396, 1432, 1494, 1529,
1568, 1597, 1626, 1650, 1672
Disease, water-borne888
Distribution and salaries of directors of vital statistics and statisticians in
State health departments as of August 1948 [Swinney] 1133
Dog bite: United States: Quarterly report by State 932, 1310, 1624
Dogs, histoplasmosis in 1562
Dysentery: United States: Quarterly report by State 927, 1306, 1620
E
Education for tuberculosis nursing. Editorial [Anderson]
Encephalitis, infectious: United States:
Quarterly report by State 927, 1306, 1620
Weekly report by State850,
879, 880, 904, 905, 922, 927, 986, 1014, 1054, 1089, 1127, 1162,
1189, 1218, 1238, 1280, 1300, 1325, 1354, 1396, 1432, 1494, 1529,
1568, 1597, 1626, 1650, 1672
Encephalitis, Japanese "B": Korea
Encephalitis, other forms: United States: Quarterly report by State 932, 1624
Enterobiasis, a method of supplying cellulose tape to physicians for diag-
nosis of [Brooke, Donaldson, and Mitchell]
Epidemic, poliomyelitis1584
Erysipelas: United States: Quarterly report by State 932, 1310, 1624
Examinations: Commissioned Corps
1406

F

F	
Favus: United States: Quarterly report by State932 Filariasis: United States: Quarterly report by State Filariasis control by DDT residual house spraying, Saint Croix, Virgin	932
Islands: I. Operational aspects. [Kohler] II. Results [Brown and	- 000
Williams] 85	
Film-processing solutions	968 933
Fleas, rat	1403
Fluorine in foods. Survey of recent data [McClure]	1061
Food poisoning: United States: Quarterly report by State 932, 1310, Foreign reports: See Specific disease; notifiable diseases.	
G	
German measles: United States: Quarterly report by State 927, 1306,	1620
Granuloma: United States:	
Inguinale: Quarterly report by State 932,	1310
Unspecified: Quarterly report by State	1310
н	
Health center and auxiliary facilities	1002
Health is everybody's business [Derryberry]	1293
[Collins]————————————————————————————————————	1439
Histoplasma capsulatum, isolation of, from soil [Emmons]	892
Histoplasmin reaction in the detection of naturally occurring histoplasmosis in dogs, evaluation of [Prior, Cole, and Torbert]	1562
Histoplasmin, sensitivity to 820,	
Histoplasmosis:	1000
Geographical limits extended	1430
In dogs	1562
In rats and skunks in Georgia [Emmons, Morlan, and Hill]	1423
United States: Quarterly report by State 1310,	1624
Hookworm disease: United States: Quarterly report by State 927, 1306,	1620
Hospital beds for the tuberculous	1098
Hospital services and practices standards	1499
Hospital survey and construction program. Progress report [Hoge] Hospitals and sanatoria with tuberculosis beds in the United States and	991
Territories, index of	1099
Housing Act of 1949 and health department programs [Johnson]	1331
Housing, better, physiological aspects [Specht and Neal]	1337
Hyalomma savignyi	1616
I	
Illness from heart and other cardiovascular-renal diseases [Collins] Impetigo contagiosa: United States: Quarterly report by States	932, 1624
Industrial sickness absenteeism. Males and females, 1948, and males,	
first and second quarters, 1949 [Gafafer]	1350

Infection of the brown dog tick, Rhipicephalus sanguineus, with Coxiella	
burnetii, spontaneous [Parker and Sussman]	1159
Influenza: United States:	
Quarterly report by State 927, 1306,	1620
Weekly report by State	850,
879, 880, 904, 905, 922, 951, 986, 1014, 1054, 1089, 1127,	1162,
1189, 1218, 1238, 1280, 1300, 1325, 1354, 1396, 1432, 1494,	1529,
1568, 1597, 1626, 1650,	1672
Investigation of low mortality in certain areas [Woolsey]	909
Iodine—A food essential [Sebrell]	1075
J	
	1004
Jaundice: United States: Quarterly report by State 932, 1310,	
Joint Enterprise BCG vaccination program	1250
L	
Laboratory courses:	
Diagnosis refresher	1059
Training	1619
Lead poisoning: United States: Quarterly report by State 1310,	1624
Leprosy: United States:	
Quarterly report by State932, 1310,	1624
Weekly report by State987, 1055, 1090, 1190,1281 1433,1569,	1673
Lice, human body, Pediculus humanus corporis, studies. I. A method of	
	1287
Lymphogranuloma venereum: United States: Quarterly report by State	932,
	1310
M	
Malaria, United States, Overtonia annut ha State 007 1206	1000
Malaria: United States: Quarterly report by State 927, 1306, Measles:	1020
British Guiana	1191
United States:	
Quarterly report by State 927, 1306,	1620
	850,
879, 880, 904, 905, 922, 951, 986, 1014, 1054, 1089, 1127, 1	
1189, 1218, 1238, 1280, 1300, 1325, 1354, 1396, 1432, 1494, 1	
1568, 1597, 1626, 1650,	1672
Meningitis, meningococcal: United States:	
Quarterly report by State 927, 1306,	
	850,
879, 880, 904, 905, 922, 951, 986, 1014, 1054, 1089, 1127, 1	
1189, 1218, 1238, 1280, 1300, 1325, 1354, 1396, 1432, 1494, 1	
1530, 1568, 1597, 1626, 1650, 1	
	1655
	1411
	1010
Molluscacides, preliminary field trials with laboratory-tested [Nolan and	0.40
Berry]	942
	310
Mononucleosis: United States: Quarterly report by State 932, 1310, 1	024
Morbidity reports: See Communicable diseases; notifiable diseases; specific	
disease.	

#### SUBJECT INDEX

Mortality:	
Areas, low	909
Index and standard of living	917
Tuberculosis	1261
Multiphasic screening	1311
Mumps: United States: Quarterly report by State 927, 1306,	
numps. Officed braices. Quarterly report by braice	1020
N	
National Institutes of Health brucellosis symposium	1051
Nomenclature of strains of C. diphtheriae [Johnstone and McCleod]	1181
Nosopsyllus fasciatus (rat flea)	933
Notifiable diseases:	
British Guiana	1191
Canada	852,
882, 906, 925, 955, 988, 1018, 1057, 1091, 1130, 1166, 1191,	
1240, 1283, 1303, 1327, 1356, 1399, 1434, 1496, 1531, 1571,	
1628,	
Cuba	
Egypt	1191
Finland 907, 1091, 1192, 1284, 1400, 1570,	
	1130
Jamaica	
Japan 925, 1018, 1192, 1328, 1496,	1075
Madagascar852, 1131, 1167, 1221,	1570
Madagascar	1072
New Zealand	1000
Norway	
Switzerland 853,	1329
United States:	1075
Panama Canal Zone 881, 954, 1129, 1302, 1398, 1599,	
Puerto Rico	
Quarterly report by State927, 1306,	
Virgin Islands	1000
See also: Communicable diseases; specific disease.	
Nurses, student, studies of pulmonary findings and antigen sensitivity	000
among	820
01	1247
Nursing care for the tuberculous [Bush, McNett, Petry, and Naylor]	971
Nutrition demonstration program in Ottawa County, Michigan, report of	
[Osborne, Tabor, Bouser, Anderson, and Frankhauser]	1603
0	
Ophthalmia neonatorum: United States: Quarterly report by State	927,
1306,	
	1613
Ottawa County, Michigan, nutrition demonstration program	1603
P	
Paratyphoid fever: United States: Quarterly report by State 930, 1308,	1699
	1022
See also: Typhoid and paratyphoid fever	1411
	1411
	1499
	1287
Pellagra: United States: Quarterly report by State 927, 1306,	1620

Plague:	
Basutoland	58. 1193
Belgian Congo	
Brazil	
British East Africa9	26, 1019
China	
Ecuador	
India 854, 883, 908, 9	
Indochina	
Indochina (French)	1654
Java8	
Madagascar1193, 1329, 15	
Netherlands Indies 1286, 1400, 1497, 1573, 1601, 1629, 16	54 1677
Peru 908, 1286, 1436, 15	
Portugal	
Siam	
Union of South Africa	34. 1629
United States:	01, 1020
Hawaii	1599
New Mexico	
Quarterly report by State	
World distribution:	. 1027
Africa	58 1532
Asia 956, 1092, 1242, 13	
Europe 956, 1093, 1242, 13	
North America	
Oceania 956, 1093, 1242, 13	50 1533
South America 956, 1093, 1242, 13	
Plague infection:	00, 1000
Colorado 906, 1017, 1091, 1129, 12	20 1282
Hawaii	
Kansas	
Montana	
New Mexico906, 100	
Wyoming 95	
Plague surveillance traps compared	
Pneumonia: United States:	. 1214
Quarterly report by State	06 1690
Weekly report by State	
879, 880, 904, 905, 922, 951, 986, 1014, 1054, 1089, 112	
1189, 1218, 1238, 1300, 1325, 1354, 1396, 1432, 1494, 1524	
1597, 1626, 165	
Poliomyelitis:	0, 1012
	10, 1284
Australia 124	
England and Wales	
FranceGermany—British Zone	1285
Greece	1285
India	
Italy	
Luxemburg	
Mexico	1285
929650—61——3	

Poliomyelitis—Continued	
New Zealand	1285
Poland	1285
Scotland	1285
Sweden	1285
United States:	
Quarterly report by State 930, 1308	, 1622
Weekly report by State	850,
879, 904, 922, 951, 986, 1014, 1054, 1089, 1127, 1162, 1189,	1218,
1238, 1280, 1300, 1325, 1354, 1396, 1432, 1494, 1529, 1568,	
1626, 1650,	1672
Yugoslavia	1285
Poliomyelitis epidemic recurrence in the counties of the United States, 1932–1946 [Gilliam, Hemphill, and Gerende]	1584
Poliomyelitis incidence reported in the counties of the United States,	
1932–1946, average [Gilliam, Hemphill, and Gerende] Psittacosis: United States:	1575
Quarterly report by State 932, 1310,	1624
Weekly report by State 880, 1015, 1495, 1569,	
Public health approach to improving community mental health through	
the schools [Ullmann]	1655
Public Health Service publications, January–June, 1949 Pulmonary findings and antigen sensitivity among student nurses, studies	1642
of [Goddard, Edwards, and Palmer]	820
Q	
Q fever: United States: Quarterly report by State 1310,	1624
Q fever, incidence of, in eastern Washington [Doddananjaya]	1230
Quarantine provisions of Ireland	1437
Queen Anne's County, Md., chronic disease prevalence	1201
R	
Rabies in animals: United States:	
Quarterly report by State932, 1310,	1624
Weekly report by State	850,
879, 880, 904, 905, 922, 951, 986, 1014, 1054, 1089, 1127,	1162,
1189, 1218, 1238, 1280, 1300, 1325, 1354, 1396, 1432, 1494,	1529,
1568, 1597, 1626, 1650,	1672
Rabies in man: United States:	
Quarterly report by State930, 1308,	1622
	1495
	1195
Rat-bite fever in Montana [Jellison, Eneboe, Parker, and Hughes]	1661
Rat-bite fever: United States: Quarterly report by State 1310,	1624
Rats and skunks, histoplasmosis in	1423
Relapsing fever: United States:	
Quarterly report by State 932, 1310,	
Weekly report by State 987, 1090, 1128, 1190, 1219, 1397,	1495
	1223
Rheumatic fever diagnostic service, Denver. Purpose and method of	
	1631
Rheumatic fever: United States: Quarterly report by State 930, 1308,	1622
Rhipicephalus sanguineus	1159

Rickettsia, pathogenic, occurring in Amblyomma maculatum, serological	1040
aspects [Lackman, Parker, and Gerloff]	1342
with	1287
Rickettsialpox: United States: Quarterly report by State 932, 1310	
Ringworm disease: United States: Quarterly report by State 932, 1310	
Rocky Mountain spotted fever: United States:	1024
Quarterly report by State	1622
Weekly report by State	850,
879, 880, 904, 905, 922, 951, 986, 1014, 1054, 1089, 1127,	
1189, 1218, 1238, 1280, 1300, 1325, 1354, 1396, 1432, 1494,	
1500 1505 1606 1650	1070
Rural life and tuberculosis	1271
8	
Saint Croix, Virgin Islands, filariasis control	7, 863
Salaries of vital statistics directors and statisticians in State Health Depart-	
ments	1133
Salmonella enteritidis, transmission of, by the rat fleas Xenopsylla cheopis	
and Nosopsyllus fasciatus [Eskey, Prince, and Fuller]	933
Salmonella types encountered in Maryland between 1944 and 1948 [Hajna].	876
San Antonio plan in tuberculosis control	1541
Sanitary engineering training in the United States, undergraduate [Straub]	1315
Sanitation defects on vessels	1667
Scabies: United States: Quarterly report by State 932, 1310, Scarlet fever: United States:	1024
Quarterly report by State930, 1308,	1699
Weekly report by State	850.
879, 880, 904, 905, 922, 951, 986, 1014, 1054, 1089, 1127,	
1189, 1218, 1238, 1280, 1300, 1325, 1354, 1396, 1432, 1494,	
1568, 1597, 1626, 1650,	
Schistosomiasis: United States: Quarterly report by State 932, 1310,	
Schools, mental health through	1655
Screening, multiphasic	1311
Septic sore throat: United States: Quarterly report by State 930, 1308,	
Septicemia, puerperal: United States: Quarterly report by State. 932, 1310,	
Sickness absenteeism, industrial	1350
Silicosis: United States: Quarterly report by State 932, 1310,	1624
Skin tests to detect histoplasmosis in dogs	1562
Skunks, histoplasmosis in rats and	1423
Smallpox:	
Afghanistan1193,	1222
	1629
Arabia	
Argentina 1305, 1573,	
Australia	926
	1629
Belgium	883
Burma	
Colombia	
Cuba	854
Egypt.	989
French Equatorial Africa	1002

Smallpox—Continued	
French West Africa	149
Great Britain 883,	
Italy85	
Japan	85
Java 883, 908, 920	6, 996
Manchuria	1132
Mexico 990, 1436, 1497,	1573
Mozambique	854
Netherlands Indies	854
855, 1019, 1058, 1132, 1168, 1222, 1286, 1329, 1401,	1602
Niger Territory	1630
Nigeria	1497
Pakistan	1677
Peru1286, 1497,	1630
Portugal	1193
Spain	926
Syria	1602
Union of South Africa	1430
United States:	
Quarterly report by State930, 1308,	1622
Weekly report by State	850
879, 880, 904, 905, 922, 951, 986, 1014, 1054, 1089, 1127,	
1189, 1218, 1238, 1280, 1300, 1325, 1354, 1396, 1432, 1494,	
1568, 1597, 1626, 1650,	
Venezuela	990
World distribution:	000
Africa 957, 1093, 1243, 1359,	1533
Asia. 957, 1094, 1243, 1360,	
Europe 957, 1094, 1244, 1360,	
North America 958, 1094, 1244, 1360,	
Oceania 1094, 1244, 1360,	
South America 958, 1094, 1244, 1360,	
Smallpox vaccination requirements—Ireland	1437
Snap traps versus cage traps in plague surveillance [Gross and Bonnet]	1214
Social services in tuberculosis control. Editorial [Anderson]	1539
	892
Soil, isolation of Histoplasma capsulatum from	1616
Spain, recovery of C. burnetii from H. savignyi collected in	
	1195
Standard of living and low mortalityState health department salaries—directors of vital statistics and statis-	917
ticiansStream water quality, effects of reservoir operation on [Woodward and	1133
LeBosquet]	1223
,	1051
Syphilis prevalence	1201
T	
	000
Temperature control system for film-processing solutions	968
	1562
Tetanus: United States: Quarterly report by State 930, 1308,	1622

Tick:	
Brown dog	1159
Hyalomma savignyi	1616
Rhipicephalus sanguineus	1159
Tick fever, Colorado: See Colorado tick fever.	
Trachoma: United States: Quarterly report by State 930, 1308,	1622
Training, sanitary engineering undergraduate.	1315
Training courses, laboratory	1619
Trichinosis: United States: Quarterly report by State 930, 1308,	
Tuberculin, sensitivity to	820
Tuberculosis:	020
BCG vaccination	1250
Beds in the United States [Hanna and Glaser]	1098
Case reporting.	961
Case-work services	1541
	1269
Death rates	1247
Education for nursing	
Index, Editorial [Anderson]	1097
Morbidity reporting	967
Mortality relationships—Age, race, and sex, 1947	1261
Research	1250
Rural life and	1271
Sanatoria, nursing care in	971
Similarity to histoplasmosis	1363
United States: Quarterly report by State 930, 1308,	
What is a reportable case [Northrup, Anderson, and Sauer]	961
WHO, program, 1950	1117
Tuberculosis contrel:	
Financial aid and case-work services to the tuberculous patient and	
family—San Antonio plan [Zeck]	1541
First five years [Scheele]	817
Rural areas [Roemer]	1269
Social services. Editorial [Anderson]	1539
Urban and rural	1273
Tularemia: United States:	
Quarterly report by State930, 1308,	1622
Weekly report by State	850,
879, 880, 904, 905, 922, 951, 986, 1014, 1054, 1089, 1127, 1	
1189, 1218, 1238, 1280, 1300, 1325, 1354, 1396, 1432, 1494, 1	
1568, 1597, 1626, 1650,	1672
Typhoid and paratyphoid fever: United States: Weekly report by State	850,
879, 880, 904, 905, 922, 951, 986, 1014, 1054, 1089, 1127, 1	
1189, 1218, 1238, 1280, 1300, 1325, 1354, 1396, 1432, 1494, 1	529,
. 1568, 1597, 1626, 1650,	1672
Typhoid fever:	
Egypt	1191
	1327
United States: Quarterly report by State 930, 1308, See also: Typhoid and paratyphoid fever.	1622
Typhus fever:	
Afghanistan 1020, 1058,	1193
Belgium	926
Bolivia	908
	000

Typhus fever—Continued	
British East Africa	
Colombia	884, 990, 1401, 1602, 1677
Czechoslovakia	1222, 1305
Ethiopia	990, 1630
France	
Great Britain	
Iraq	
Mexico	
Peru	
Poland.	
Portugal	
Puerto Rico	
Spain	
Union of South Africa	
United States: Quarterly report by State	930, 1308, 1622
World distribution:	
Africa	
Asia	
Europe	
North America	
Oceania	
South America	958, 1095, 1245, 1362, 1536
U	
Undulant fever: United States: Quarterly report l	by State 930, 1308, 1622
v	
Vaccination:	4
Requirements (smallpox): Ireland	1437
Research (antituberculosis)	
Vaccines, allergy producing characteristics	
Vessels, defects in the sanitary environment on [G	raber and Miller] 1667
Vincent's infection: United States: Quarterly repo	ort by State 930, 1308, 1622
W	
Water pollution control	
Water requirements, urban	886
Water resources and the Nation's health [Pond]	885
Weil's disease. See Jaundice.	
Whooping cough: United States:  Quarterly report by State	
Weekly report by State	
879, 880, 904, 905, 922, 951, 986,	1014, 1054, 1089, 1127, 1162,
1189, 1218, 1238, 1280, 1300, 1325,	
77-13 3'-4-14-4' 6 -1-1- 1	1568, 1597, 1626, 1650, 1672
World distribution of cholera, plague, smallpox, ty	phus fever, and yellow
fever: See Cholera, etc.,: World Distribution.	- 1050 FD
World Health Organization tuberculosis program for	
the Official Records No. 18]	1117

## X

X-ray screens and films, characteristics of commercial. VII-X [Van Allen]	933 1560
X-ray screens and films, characteristics of commercial. VII-X [Van Allen]	1560
	1560
v	
*	
Yaws: United States: Quarterly report by State 932, 1310, 1	624
Yellow fever:	
Brasil	1630
Ecuador 1	1132
French Equatorial Africa	193
Gold Coast 908, 1020, 1058, 1132, 1168, 1222, 1401, 1497, 1	602
Panama 1132, 1	
Peru 1058, 1132, 1193, 1	630
Sudan (French) 1	286
	624
World distribution:	
Africa	536
North America 959, 1096, 1245, 1362, 1	536
South America	

# Public Health Service Author Index

Includes Papers by Public Health Service Personnel Printed in Public Health Reports and Other Publications July-December 1949\*

## A

Abraham, Sidney: See Rion, J. Wallace (and Abraham).

Adams, George: See Von Brand, Theodor (Tobie, Kissling, and Adams).

Alford, W. C.: See Dautrebande, L. (Alford, Irwin, Mitchell, Thompson, Weaver, and Wood); von Oettingen, W. F. (Powell, Sharpless, Alford, and Pecora).

Algire, Glenn H.: Blood pressure measurements in transplanted tumors of unanesthetized mice (abstract). Cancer Research 9: 623.

——— (and Legallais): Recent developments in the transparent-chamber technique as adapted to the mouse. J. Nat. Cancer Inst. 10: 225.

See also Merwin, Ruth M. (Algire and Kaplan); Younger, J. S. (and Algire).

Altland, Paul D.: Breeding performance of rats exposed repeatedly to 18,000 feet simulated altitude. Physiol. Zool. 22: 235.

—— Recovery rate from some of the effects of daily exposures to high altitude in rats. J. Aviation Med. 20: 186.

---- See also Highman, Benjamin (and Altland).

Anderson, Bernice L.: See Osborne, Elton S. (Tabor, Bouser, Anderson, and Frankhauser).

Anderson, E.: See Farrell, G. L. (and Anderson).

Anderson, Robert J.: Editorial [Annual tuberculosis bed index]. Pub. Health Rep. 64: 1097.

Education for tuberculosis nursing. Editorial. Pub. Health Rep. 64: 1247.

—— Social services in tuberculosis control. Editorial. Pub. Health Rep. 64: 1539.

--- See also Northrop, Cedric (Anderson and Sauer).

Andervont, Howard B.: The incidence of mammary tumors in mice of strain C3H and in descendants of fostered strain C. J. Nat. Cancer Inst. 10: 193.

—— Spontaneous lesion of stomach in strain I mice. J. Nat. Cancer Inst. 10: 405.

—— Studies on the disappearance of the mammary-tumor agent in mice of strains C3H and C. J. Nat. Cancer Inst. 10: 201.

<sup>\*</sup>All items marked with an asterisk were published January-June 1949, but reported too late for inclusion in Index to vol. 64, pt. I.

NOTE.—Address requests for reprints from Public Health Reports, Journal of Venereal Disease Information, and the Journal of the National Cancer Institute to the Surgeon General, Public Health Service, Washington 25, D. C.

- Andrews, Howard L.: Radiation hazards and industrial hygiene. Indust. Hyg. Newsletter 9: 4, July.
- Arnold, R. C. (and Mahoney): The role of cardiolipin antigens in the serology of syphilis. J. Ven. Dis. Inform. 30: 217.
- The role of cardiolipin antigens in the serology of syphilis. In A symposium on current progress in the study of venereal diseases, Washington, D. C., United States Government Printing Office, 1949, p. 207.
- ----- See also Mahoney, J. F. (and Arnold); Wright, R. D. (Nicholson, Mahoney, and Arnold).
- Ashburn, L. L. (Burch and Brady): Pathologic effects of suramin, hetrazan, and arsenamide on adult *Onchocerca volvulus*. Bol. Ofic. san. panam. 28: 1107.

## F

- \*Barrett, Morris K.: The invasion of normal tissues by sarcoma contrasted with that by carcinoma. Acta Unio Internationalis Contra Cancrum 6: 675.
- ——— (and Morgan): A "maternal influence" on the growth of a transplantable tumor in mice (abstract). Cancer Research 9: 603.
- — A maternal influence on the growth rate of a transplantable tumor in hybrid mice. J. Nat. Cancer Inst. 10: 81.
  - See also Hertz, Roy (Westfall, Barrett, and Tuliner).
- Barton, Robert L. (Bauer, Craig, and Schwemlein): Treatment of early syphilis with penicillin. Report on three hundred and twenty-four patients treated with 1,200,000 units over seven and one-half days. Arch. Dermat. and Syph. 60: 150.
- Bateman, Jeanne C.: Symptoms attributable to cold hemagglutination. Report of 2 cases. Arch. Int. Med. 84: 523.
- Bauer, Theodore J.: Congenital syphilis. Editorial. J. Ven. Dis. Inform. 30: 241.
- —— Contact investigation of syphilis. Editorial. J. Ven. Dis. Inform. 30: 339.
- —— Is the incidence of syphilis decreasing? Editorial. J. Ven. Dis. Inform. 30: 185.
- —— See also Barton, Robert L. (Bauer, Craig, and Schwemlein); Rodriquez, Jack (Bauer, Plotke, Harris, and Weinstein).
- Beams, A. J.: See Harmos, Oscar (and Beams).
- Beck, Lyle V. (Perrault and Gillespie): Relative toxicity to normal and tumorbearing mice of certain aromatic trivalent arsenicals which induce histological damage in sarcoma 37 (abstract). Cancer Research 9: 626.
- See also Berkowitz, Donald (and Beck).
- Belkin, M.: Current progress in clinical cancer chemotherapy. J. Kansas State Med. Soc. (Cancer Supp.) 50: 69-A.
- —— Experimental approach to cancer chemotherapy. J. Kansas State Med. Soc. (Cancer Supp.) 50: 22-A.
- ——— (Tobie, Kahler, and Shear): Absence of effect of lysed *Trypanosoma cruzi* preparations on sarcoma 37 (abstract). Cancer Research 9: 560.
- Bell, E. John: See Parker, Ralph R. (de Prada, Bell, and Lackman).
- Bell, J. Frederick: See Hottle, George A. (Nedzel, Wright, and Bell).
- Bennett, J. G.: See Stewart, Harold L. (Hare, Lorenz, and Bennett).
- Bennison, B. E.: The effect of penicillin on the development of mammary tumors in mice containing the milk agent. J. Nat. Cancer Inst. 10: 175.
- Effect of splenectomy on the development of mammary tumors in mice containing the milk agent (abstract). Cancer Research 9: 543.

- Bennison, B. E. (and Coatney): Effects of X-irradiation on Plasmodium gallinaceum and Plasmodium lephurae infections in young chicks. J. Nat. Malaria Soc. 8: 280.
- Berenblum, I.: Anomalous action of croton oil as carcinogenic promoting agent (abstract). Cancer Research 9: 618.
- ——— The carcinogenic action of 9,10-dimethyl-1,2-benzanthracene on the skin and subcutaneous tissues of the mouse, rabbit, rat, and guinea pig. J. Nat. Cancer Inst. 10: 167.
- Berger, Anne G.: See Mountin, Joseph W. (Pennell and Berger).
- \*Berger, M. (and Reid): Etude de la synthase de la melanine par las cellules de melanocarcinome e l'aide de molecules marques (A study of the synthesis of melanin by the cells of melanocarcinoma with the aid of labeled molecules). J. de radiol. et d'electrol. 30: 341.
- Berkowitz, Donald (and Beck): Effects of [administration of] Serratia marcescens tumor-necrotizing polysaccharide on the specific gravity of mouse blood and plasma (abstract). Cancer Research 9: 560.
- Berry, E. G.: See Nolan, M. O. (and Berry).
- Bierman, Howard R.: The value of blood oxygen determinations. California Med. 71: 280.
- ——— (and McClelland): A study of methods for the improvement of cancer learning in the medical school; First annual report. J. Assoc. Am. Med. Coll. 24: 351.
- ——— (Shimkin, Mettier, Weaver, Berry, and Wise): Methyl-bis (beta-chloroethyl) amine in large doses in the treatment of neoplastic diseases. California Med. 71: 117.
- ——— (and Sokolow): Cardiovascular effects produced by stilbamidine in patients with multiple myeloma. J. Nat. Cancer Inst. 10: 279.
- ——— (Strait and Hrenoff): Exerction of urinary coproporphyrins in patients with neoplastic diseases treated with methyl-bis (β-chloroethyl) amine hydrochloride (HN<sub>2</sub>). J. Nat. Cancer Inst. 10: 93.
- See also Shimkin, Michael B. (and Bierman).
- Birmingham, Donald J.: See Schwartz, Louis (and Birmingham).
- Birren, J. E. (and Shock): Age changes in rate and level of visual dark adaptation. J. Gerontol. 4: 330.
- Black, Luther A.: See Levine, Benjamin S. (and Black).
- Blanco, F. Leon (and Fite): Silvering of lepra bacilli in tissues. Internat. J. Leprosy 17: 442 (Reprinted from Arch. Path. 46: 542).
- Block, Louis: See McGibony, J. R. (and Block).
- Bloomfield, J. J.: Hygienic standards for the prevention and control of occupational diseases. *In* Transactions Bulletin No. 12, Pittsburgh, Industrial Hygiene Foundation, p. 6.
- Blount, Henry C., Jr.: See Smith, Willie W. (Highman, Mitchell, and Blount).
- Blum, Harold F.: A quantitative description of carcinogenesis by ultraviolet radiation (abstract). Cancer Research 9: 545.
- —— (Loos, Price, and Robinson): Enhancement by "visible" light of recovery from ultraviolet radiation. Nature 164: 1011.
- ——— (Price, Robinson, and Loos): Effect of ultraviolet radiation on the rate of cell division of Arbacia eggs, and the enhancement of recovery by visible light (abstract). Anat. Rec. 105: 524.
- —— Effect of ultraviolet radiation on the rate of cell-division of Arbacia eggs (abstract). Biol. Bull. 97: 232.
- Boone, Bert R. (Ellinger and Gillick): Electrokymography of the heart and great vessels; Principles and application. Ann. Int. Med. 31: 1030.

\*Bothe, Albert E. (Hastings and Dalton): A study of the Golgi apparatus and mitochondria in a series of human tumors. Acta Unio Internationalis Contra Cancrum 6: 682.

Bouser, Mary M.: See Osborne, Elton S. (Tabor, Bouser, Anderson, and Frankhauser).

Bowen, William J. (and Eads): Effects of 18,000 feet simulated altitude on myoglobin content of dogs. Am. J. Physiol. 159: 77.

Boyle, Peter J.: See Law, Lloyd W. (Dunn, Boyle, and Miller).

Brackett, Frederick S.: See Olson, Rodney A. (Brackett and Crickard).

Bradley, George H. (and Goodwin): Malaria observation stations of the Public Health Service. J. Nat. Malaria Soc. 8: 181.

Brady, F. J.: See Ashburn, L. L. (Burch and Brady); Luttermoser, George W. (Haskins and Brady).

Branham, W. E. (Habel and Lillie): Studies with Shigella dysenteriae (Shiga) III. Infection and intoxication in Macacus mulatta monkeys. J. Infect. Dis. 85: 295.

Brecher, George: New methylene blue as a reticulocyte stain. Am. J. Clin. Path. 19: 895.

—— Phase microscopy in the study of reticulates. Bull. Internat. Assoc. Med. Mus. 30: 99.

Brennan, James M.: Tracheation in chiggers with special reference to Acomatacarus arizonensis Ewing (Acarina, Trombidulidae). J. Parasitol. 35: 467.

— The use of N-butylacetanilide as a tick repellent. Rocky Mountain Laboratory Circular 13, 2 pp. Processed.

Brinton, H. P.: Morbidity and mortality. In Air pollution in Donora, Pa. Public Health Bulletin No. 306, p. 66.

Brodie, B. B.: See Steele, J. Murray (Brodie, Messinger, Soberman, Berger, and Gladston).

Brooke, M. M. (Donaldson and Mitchell): A method of supplying cellulose tape to physicians for diagnosis of enterobiasis. Pub. Health Rep. 64: 897.

Brubach, H. F.: See Specht, H. (and Brubach).

Bryan, W. Ray (Maver, Moloney, Thomas, and Sells): Comparative stability of the agent of chicken tumor I in phosphate and borate buffers during incubation for 3 hours at 37° C. J. Nat. Cancer Inst. 10: 647.

Buchanan, George: See Kahler, Herbert (and Buchanan).

Buck, John B.: A versatile microinjection and micropipetting syringe. Rev. Scient. Instruments 20: 676.

——— (and Keister): Respiration and water balance in the adult blowfly, *Phormia reginia*, and their relation to the physiological action of DDT. Biol. Bull. **97**: 64.

Anat. Rec. 105: 485.

——— (Keister and Posner): Respiration and weight changes in *Phormia* larvae after exposure to DDT (abstract). Anat. Rec. 105: 613.

- See also Keister, M. L. (and Buck).

Bundesen, Herman N. (Plotke and Eisenberg): Psychosomatic approach to venereal disease control. Chronic gonorrhea repeaters. Am. J. Pub. Health 39: 1535.

——— (Plotke, Schwemlein, and Rodriquez): Penicillin in the treatment of early syphilis: 639 patients treated with 2,400,000 units of sodium penicillin in 7½ days. J. Ven. Dis. Inform. 30: 321.

Burch, Thomas A.: See Ashburn, L. L. (Burch and Brady).

- Burgoyne, F. H. (Heston, Hartwell, and Stewart): Cutaneous melanin production in mice following application of the carcinogen 5,9,10-trimethyl-1,2-benz-anthracene. J. Nat. Cancer Inst. 10: 665.
- Burk, Dean (Earle, Hesselbach, Fischer, Shelton, and Schilling): Correlated decreases in glycolysis and inoculation take of *in vitro* induced sarcoma cells upon prolonged subculture (abstract). Cancer Research 9: 558.
- ——— (Hendricks, Korzenovsky, Shocken, and Warburg): The maximum efficiency of photosynthesis; A rediscovery. Science 110: 225.
- —— See also Riley, Vernon T. (Hesselbach, Woods, and Burk); Wight, Kent (and Burk); Woods, Mark W. (DuBuy, Burk, Hesselbach, and Lackey).
- Burtner, H. Jacquier (and Lillie): A five-hour variant of Gomori's methenamine silver method for argentaffin cells. Stain Technol. 24: 225.
- Bush, Chesley (McNett, Petry, and Naylor): Effective nursing care for the tuberculous. Pub. Health Rep. 64: 971.
- Byers, Dohrman H.: See Paulus, Harold J. (Hosey, Crothers, and Byers).
- Byron, Ralph L.: See Shacter, Bernard (Byron and Shimkin).

## (

- Chapman, A. L.: The concept of multiphasic screening. Pub. Health Rep. 64: 1311.
- Chu, C. H. U. (and MacCardle): A study of the histogenesis of sarcoma 37 implants (abstract). Cancer Research 9: 627.
- Clark, A. M.: See Spicer, S. S. (and Clark).
- Clark, J. W., Jr.: See Magnuson, Harold J. (Rosenau and Clark).
- Clayton, George D.: Public Health aspects of atmospheric pollution. Indust. Hyg. Newsletter 9: 10, Dec.
- ---- See also Schrenk, H. H. (Heimann, Clayton, Gafafer, and Wexler).
- Coatney, G. Robert (Cooper, Ruhe, and Young): Studies in human malaria. XVII. Trials of quinacrine, colchicine (SN 12,080) and quinine against Chesson strain vivax malaria. Am. J. Hyg. 50: 194.
- —— (Greenberg, Cooper, and Trembley): The antimalarial activity of aureomycin against *Plasmodium gallinaceum* in the chick (abstract). J. Parasitol. **35**: 25, Dec. Supp., Sec. 2.
- ——— (and Roudabush): A catalogue of the species of the genus *Plasmodium* and index of their hosts. *In Malariology* edited by Mark Boyd, Philadelphia, Pa., W. B. Saunders Company, vol. 1, p. 29.
- —— See also Bennison, B. E. (and Coatney); Cooper, W. Clark (Coatney, Imboden, and Jefferey); Cooper, W. Clark (Ruhe and Coatney); Greenberg, Joseph (Trembley and Coatney); Spicknall, Charles G. (Terry and Coatney); Taylor, D. Jane (Greenberg and Coatney).
- Collins, Selwyn D.: Statistical studies of heart disease. V. Illness from heart and other cardiovascular-renal diseases recorded in general morbidity surveys of families. Pub. Health Rep. 64: 1439.
- Cookson, B. A. (and Wiercinski): Some methods of producing traveling contraction nodes in adult frog skeletal muscle fibers (abstract). Biol. Bull. 97: 226.
- Cooper, W. Clark (Coatney, Imboden, and Jefferey): Aureomycin in experimental Chesson strain vivax malaria. Proc. Soc. Exper. Biol. and Med. 72: 587.
- (Ruhe and Coatney): Studies in human malaria. XVI. Results of massive subinoculation during latency from patients infected with St. Elizabeth strain vivax malaria. Am. J. Hyg. 50: 189.

Cooper, W. Clark: See also Coatney, G. Robert (Cooper, Ruhe, and Young); Coatney, G. Robert (Greenberg, Cooper, and Trembley).

Cornfield, J.: Retention of radon by the mouse. II. Method of estimating biodecay from experimental data. Nucleonics 5: 68, Oct.

Cram, Eloise B.: See Files, Virginia S. (and Cram).

Crawford, James H.: Determination of the specific gravity of ragweed pollen (Ambrosia elatior) and conversion of gravity sample counts to volumetric incidence. Pub. Health Rep. 64: 1195.

Crickard, Robert G.: See Olson, Rodney A. (Brackett and Crickard).

Crothers, Robert B.: Atmospheric pollution from domestic sources, steamboats, trains, and automobiles. *In* Air pollution in Donora, Pa. Public Health Bulletin No. 306, p. 109.

——— See also Paulus, Harold J. (Hosey, Crothers, and Byers). Culbertson, J. T.: Symposium on brucellosis. Science 110: 469.

## I

Dalmat, Herbert T.: New species of Simuliidae (Diptera) from Guatemala, I. Ann. Entom. Soc. America 42: 538.

Dalton, Albert J.: See also Bothe, Albert E. (Hastings and Dalton); Robertson, William Van R. (Dalton and Heston).

Dautrebande, L. (Alford, Irwin, Mitchell, Thompson, Weaver, and Wood): Studies on aerosols. VI. Effect of aluminum powder and of NaCl aerosols upon the pulmonary deposition of silica dust (long exposure). Arch. internat. de pharmacodyn. et de thérap. 80: 388.

(Kahler, Lloyd, and Mitchell): Studies on aerosols. VII. Dust aggregation with NaCl aerosols. Differentiation under the electron microscope of SiO<sub>2</sub> dust particles and NaCl crystals. Arch. internat. de pharmacodyn. de thérap. 80: 413.

David, Wilfred D. (Markee and Smith): The acute episode. In Air pollution in Donora, Pa. Public Health Bulletin No. 306, p. 6.

(Wolff, Zinke, and Tiboni): Related studies. In Air pollution in Donora,
 Pa. Public Health Bulletin No. 306, p. 54.

----- See also Heimann, Harry (David and Sitgreaves).

Davis, Dorland J. (and Pittman): Effectiveness of streptomycin in the treatment of experimental conjunctivitis caused by *Hemophilus sp.* Am. J. Ophth. 32: 111, Supp. 6.

- See also Sullivan, Thelma D. (McGregor, Eads, and Davis).

Davis, James O. (and Shock): The effect of body position and reference level on the determination of venous and right auricular pressure. Am. J. Med. Sc. 218: 281.

- The effect of theophylline ethylene diamine on renal function in control subjects and in patients with congestive heart failure. J. Clin. Investigation 28: 1459.
- Deibert, Austin V.: Safeguarding against environmental cancer. Internat. Chem. Worker 9: 2, Nov.
- What causes environmental cancer? Internat. Chem. Worker 9: 7, Dec.
  What is environmental cancer? Internat. Chem. Worker 9: 4, Sept.
- DeLawter, DeWitt: Coexistence of diabetes insipidus and diabetes mellitus. Med. Ann. District of Columbia 18: 398.
- \*Deringer, Margaret K. (and Dunn): Mast-cell neoplasm in mice (summary).

  Acta Unio Internationalis Contra Cancrum 6: 700.
- —— See also Heston, W. E. (and Deringer); Heston, W. E. (Deringer and Wayne); Lorenz, Egon (Eschenbrenner, Heston, and Deringer).

- Derryberry, Mayhew: Health is everybody's business. Pub. Health Rep. 64: 1293.
- Detty, W. E.: See Hartwell, J. L. (and Detty).
- Dhyse, F. G.: See Hertz, Roy (Dhyse and Tullner).
- Donaldson, A. W.: See Brooke, M. M. (Donaldson and Mitchell).
- Dorset, V. J. (Spicknall and Terry): Penicillin therapy of gonococcic endocarditis. A case report. Am. Heart J. 38: 610.
- Doull, James A.: Nations united for health. In Public health in the world today, Cambridge, Mass., Harvard University Press, p. 317.
- Downing, V. (Hartwell, Leiter, and Shear): Effect of a single injection of colchicine, colchicine derivatives, and related compounds on mouse tumors. Cancer Research 9: 598.
- —— See also Leiter, J. (Downing, Hartwell, and Shear); Shear, J. M. (Downing, Hartwell, Leiter, MacCardle, Perrault, and Vivian); Shear, J. M. (Hartwell, Downing, MacCardle, Leiter, Perrault, and Johnson).
- Dubroff, S. J.: See Marshall, Wade H. (Essig and Dubroff).
- DuBuy, H. G.: See Woods, Mark W. (DuBuy, Burk, Hesselbach and Lackey).
- Duchesne, Emily: See Earle, Wilton R. (Evans, Edward, and Duchesne); Evans, Virginia J. (Earle, Duchesne, Edward, Wilson, Likely, and Schilling); Sanford, Katherine (Earle, Schilling, Duchesne, and Shelton).
- Dunn, Thelma B.: Melanoblasts in the stroma of the parathyroid glands of strain C58 mice. J. Nat. Cancer Inst. 10: 725.
- —— See also Deringer, Margaret K. (and Dunn); Law, Lloyd W. (and Dunn); Law, Lloyd W. (Dunn, Boyle, and Miller).
- Duryee, William R.: Extrusion of nuclear material in irradiated amphibian ovocytes (abstract). Anat. Rec. 105: 543.
- ——— Interactions between nucleus and cytoplasm (abstract). Anat. Rec. 105: 574.
- —— The nature of radiation injury to amphibian cell nuclei. J. Nat. Cancer Inst. 10: 735.
- Dyer, R. E.: The research program of the U. S. Public Health Service. In Public health in the world today, Cambridge, Mass., Harvard University Press, p. 93.

## E

- Eads, Harold J.: See Bowen, William J. (and Eads).
- Eagle, Harry: The dynamics of penicillin action in relation to its use in the treatment of syphilis. A recapitulation of the experimental data. In A symposium on the current progress in the study of venereal diseases, Washington, D. C., U. S. Government Printing Office, 1949, p. 272.
- —— The effect of the size of the inoculum and the age of the infection on the curative dose of penicillin in experimental infections with streptococci, pneumonococci, and *T. pallidum*. J. Exper. Med. **90**: 595.
- —— The mode of action of penicillin in relation to its therapeutic use. J. Mt. Sinai Hosp. 16: 109.
- \*—— The prophylactic use of penicillin. Tr. Assoc. Am. Physicians 62: 50.
- —— The recovery of bacteria from the toxic effects of penicillin. J. Clin. Investigation 28: 832.
- ——— (Gude, Beckmann, Mast, Sapero, and Shindledecker): Prevention of gonorrhea with penicillin tablets. J. Am. Med. Assoc. 140: 940.
- ——— (and Musselman): The slow recovery of bacteria from the toxic effects of penicillin. J. Bact. 58: 475.

Eagle, Harry: See also Steinman, Harry F. (and Eagle).

Earle, Wilton R. (Evans, Edward, and Duchesne): Influence of perforation design on growth of tissue cells under perforated cellophane sheets in vitro. J. Nat. Cancer Inst. 10: 291.

(Sanford, Evans, Schilling, and Likely): Certain recently developed tissue culture procedures applicable to study of the nutrition of normal and malignant cells (abstract). Cancer Research 9: 593.

See also Burk, Dean (Earle, Hesselbach, Fischer, Shelton, and Schilling); Evans, Virginia J. (Earle, Duchesne, Edward, Wilson, Likely, and Schilling); Sanford, Katherine (Earle, Schilling, Duchesne, and Shelton).

Edward, Mary Frances: See Earle, Wilton R. (Evans, Edward, and Duchesne); Evans, Virginia J. (Earle, Duchesne, Edward, Wilson, Likely, and Schilling).

Edwards, Lydia B.: See Goddard, Jennie C. (Edwards and Palmer).

Eisenberg, Henry (and Plotke): Penicillin in oil and beeswax in the treatment of syphilis in clinic patients (abstract). J. Ven. Dis. Inform. 30: 263.

——— (Grund, Rhowedder, and Laughlin): The use of a multiple-copy form as an efficient clerical basis for medical clinics operation. J. Ven. Dis. Inform. 30: 288.

—— See also Bundesen, Herman N. (Plotke and Eisenberg); Korman, Belle (Eisenberg, Plotke, Aron, and Rodriquez); Plotke, Frederick (Eisenberg, Baker, and Laughlin).

Ellerbrook, Lester D. (Rhees, Thornton, and Lippincott): Complement fixation in animal neoplasia. II. Development of the reaction in New Zealand rabbits carrying the Brown-Pearce carcinoma (abstract). Cancer Research 9: 604.

----- See also Thornton, Helen (Ellerbrook, Rhees, and Lippincott).

Ellinger, George F.: See Boone, Bert R. (Ellinger and Gillick).

Elliott, David, C.: A further report of polyploid lesions of the fundus. Internat.

J. Leprosy 17: 229.

Emge, M. K.: See Hertz, Roy (Tullner, Westfall, and Emge).

Emmons, C. W.: Isolation of *Histoplasma capsulatum* from soil. Pub. Health Rep. 64: 892.

——— (Morlan and Hill): Histoplasmosis in rats and skunks in Georgia. Pub. Health Rep. 64: 1423.

Erb, Mildred (and King): Technicians' manual of electrokymography. Bethesda, Md., National Heart Institute of the National Institutes of Health. Unpaged. Erickson, Paul T.: See Johansen, Frederick A. (and Erickson); Johansen, Frederick

A. (Erickson and Ross).

Eschenbrenner, Allen B.: See Lorenz, Egon (Eschenbrenner, Heston, and Deringer); Lorenz, Egon (Heston and Eschenbrenner).

Eskey, C. R. (Prince and Fuller): Transmission of Salmonella enteritidis by the rat fleas Xenopsylla cheopis and Nosopsyllus fasciatus. Pub. Health Rep. 64: 933

Essig, C. F.: See Marshall, Wade H. (Essig and Dubroff).

Evans, Virginia J. (Earle, Duchesne, Edward, Wilson, Likely, and Schilling): Perforated cellophane as a solid substrate substitute for the heterologous clot used in tissue culture cancer studies (abstract). Cancer Research 9: 558.

—— See also Earle, Wilton R. (Evans, Edward, and Duchesne); Earle, Wilton R. (Sanford, Evans, Schilling, and Likely).

Eyles, Don E. (and Jefferey): The experimental transmission of *Plasmodium falci*parum by *Anopheles albimanus*. J. Nat. Malaria Soc. 8: 344.

—— See also Stough, B. Dolores (King and Eyles); Young, Martin D. (and Eyles).

- Fairhall, Lawrence T.: Industrial toxicology. Baltimore, Md., The Williams and Wilkins Co., 483 pp.
  - The newer insecticides. Indust. Hyg. Newsletter 9: 8, July.
- Farrell, G. L. (and Anderson): A device for measuring blood pressure in the unanesthetized rat. Proc. Soc. Exper. Biol. and Med. 72: 461.
- Felix, R. H.: Mental disorders as a public health problem. Am. J. Psychiat. 106: 401.
- Ferguson, Charles: Ureteroperitoneal anastomosis. J. Urol. 62: 30.
- Ferguson, M. S.: The life cycle of *Diphyllobothrium latum* (abstract of motion picture). J. Parasitol. **35**: 42, Dec. Supp., Sec. 2.
- Files, Virginia S. (and Cram): A study on the comparative susceptibility of snail vectors to strains of *Schistosoma mansoni*. J. Parasitol. 35: 555.
- Finberg, Laurence (Lord and Cenac): Characteristics of the cerebrospinal fluid in lymphogranuloma venereum. J. Ven. Dis. Inform. 30: 291.
- Firminger, H. I.: See Woodruff, L. M. (and Firminger).
- Fischer, Clara E.: See Burk, Dean (Earle, Hesselbach, Fischer, Shelton, Schilling).
- Fite, G. L.: See Blanco, F. Leon (and Fite).
- Fletcher, Hewitt G., Jr., (and Hudson): Relations between rotatory power and structure in the sugar group. XXXVI. The 1,5-anhydrides of the glycitols and related sugar derivatives. J. Am. Chem. Soc. 71: 3682.
- —— (Koehler and Hudson): 1,5-anhydrolactitol and 1,5-anhydromaltitol. J. Am. Chem. Soc. 71: 3679.
- Flowers, Charles E., Jr. (Hellman and Hingson): Continuous peridural anesthesia and analgesia for labor, delivery, and Cesarean section. Anesth. and Analg. 28: 181.
- Foard, Fred T.: The health of the American Indians. Am. J. Pub. Health 39: 1403.
- Fodor, Paul J. (and Greenstein): Separation of enzymatic activities toward chloroacetylalanine, chloroacetylalanylglycine, and glycylalanine. J. Biol. Chem. 181: 549.
- ---- See also Greenstein, Jesse P. (Fodor and Leuthardt).
- Fogg, Virginia H.: See Tomlinson, Thomas N., Jr. (Fogg and Smith).
- Fones, William S.: The use of sodium hydride in the alkylation of N-substituted amides. J. Org. Chem. 10: 1099.
- ——— (and White): The preparation of p-dimethylaminoazobenzene containing isotopic carbon in the dimethylamino group. J. Nat. Cancer Inst. 10: 663.
- Forsyth, Bruce D.: Oral health activities of the United States Public Health Service. J. Am. Dent. Assoc. 39: 158.
- Public health problems in dentistry. J. Michigan State Dent. Soc. 31: 137.
- Frankhauser, Keith H.: See Osborne, Elton S. (Tabor, Bouser, Anderson, and Frankhauser).
- Fraser, R. S.: See Stoenner, H. G. (Menciner and Fraser).
- Freeble, Charles R. (Wright and Bogue): Mass public venereal disease education—Ohio fairs. J. Ven. Dis. Inform. 30: 196.
- Fry, Edward M.: Oxazolines. J. Organ. Chem. 14: 887.
- p-Chloro-α-trichloromethyl-benzyl alcohol and a chlorination apparatus. J. Am. Chem. Soc. 71: 3238.
- Fuller, Frank B.: See Eskey, C. R. (Prince and Fuller).
- Furculow, Michael L.: Development of calcification in pulmonary lesions associated with sensitivity to histoplasmin. Pub. Health Rep. 64: 1363.

- Gafafer, William M.: Industrial sickness absenteeism. Males and females, 1948, and males, first and second quarters, 1949. Pub. Health Rep. 64: 1350.
- —— Sick absenteeism among a sample of member companies of Industrial Hygiene Foundation, 1948 and earlier years. In Transactions Bulletin No. 11, Pittsburgh, Industrial Hygiene Foundation, p. 79.
  - See also Schrenk, H. H. (Heimann, Clayton, Gafafer, and Wexler).
- Garson, Warfield (McLeod, Tetrault, Koffler, Peterson, and Colingsworth): On the naming of two antibiotics from members of the *Bacillus circulans* group: Circulin and polypeptin. J. Bact. 58: 115.
- Gemar, Frank: See Ross, Sister Hilary (and Gemar).
- Gerloff, R. K.: See Lackman, David B. (Parker and Gerloff).
- Gilbert, James B.: See Price, Vincent E. (Gilbert and Greenstein); Price, Vincent E. (Meister, Gilbert, and Greenstein).
- Gillespie, Joyce: See Beck, Lyle V. (Perrault and Gillespie).
- Gilliam, Alexander G. (Hemphill and Gerende): Average poliomyelitis incidence reported in the counties of the United States, 1932–1946. Pub. Health Rep. 64: 1575.
- Gillick, Frederick G.: Electrokymographic studies of lung field pulsations with exhalation against pressure. J. Applied Physiol. 2: 30.
- \*—— (and Reynolds): Clinical application of electromyography. California Med. 70: 1, May.
- See also Boone, Bert R. (Ellinger and Gillick).
- Glaser, Stanley: See Hanna, Eleanor (and Glaser).
- Goddard, Jennie C. (Edwards and Palmer): Studies of pulmonary findings and antigen sensitivity among student nurses. Pub. Health Rep. 64: 820.
- Goetz, Henry: See Kandle, Roscoe P. (and Goetz).
- Goldin, A. (Goldberg, Ortega, Fugmann, Faiman, and Schoenbach): Effectiveness of nitrogen mustards in retarding the growth of sarcoma 180 with reference to route of administration, age of tumor, food intake, and weight loss of mice. Cancer 2: 865.
- ——— (Goldberg, Ortega, and Schoenbach): Reversal of aminopterin-induced inhibition of sarcoma 180 by folic acid. Cancer 2: 857.
- —— See also Landing, B. M. (Goldin and Noe). Landing, B. M. (Goldin, Noe, Goldberg, and Shapiro).
- Goldman, Morris: An iron alum-piric, acid-hematoxylin stain for parasites in tissues (abstract). J. Parasitol. 35: 36, Dec. Supp., Sec. 2.
- Goodwin, Melvin H., Jr.: Observations on dispersal of Anopheles quadrimaculatus Say from a breeding area. J. Nat. Malaria Soc. 8: 192.
- ---- See also Bradley, George H. (and Goodwin).
- Graber, Ralph C. (and Miller): Defects in the sanitary environment on vessels. Pub. Health Rep. 64: 1666.
- Greco, Antoinette E.: See Maver, Mary E. (and Greco).
- Greenberg, Joseph: The antimalarial activity of 2,4-diamino-6,7-diphenyl pterin; Its potentiation by sulfadiazine and inhibition by pteroyl glutamic acid. J. Pharmacol. and Exper. Therap. 97: 484.
- Inhibition of the antimalarial activity of chlorguanide by pteroylglutamic acid. Proc. Soc. Exper. Biol. and Med. 71: 306.
- \*—— A method for artificially feeding mosquitoes. Mosquito News 9: 48.

Greenberg, Joseph: The potentiation of the antimalarial activity of chlorguanide by p-aminobenzoic acid competitors. J. Pharmacol. and Exper. Therap. 97: 238.

(Trembley and Coatney): Strain differences in Plasmodium gallinaceum

Brumpt (abstract). J. Parasitol. 35: 20, Dec. Supp., Sec. 2.

- See also Coatney, G. Robert (Greenberg, Cooper, and Trembley); Josephson, Edward S. (Taylor, Greenberg, and Nadel); Taylor, D. Jane (Greenberg and Coatney).

Greenspan, Ezra M. (and Leiter): Toxicity and hematologic changes produced by alpha-peltatin, beta-peltatin and podophyllotoxin (abstract).

Research 9: 626.

(Leiter and Shear): Action of peltatins on lymphomas and other tumors in mice abstract. Cancer Research 9: 597.

See also Haedicke, Thomas A. (and Greenspan); Morrow, Andrew G.

(Greenspan and Carroll).

Greenstein, Jesse P. (Fodor and Leuthardt): The neoplastic transformation as a biological fractionation of related enzyme systems. J. Nat. Cancer Inst. 10: 271.

- (and Leuthardt): Effect of added phosphate on glutamine desamidation in tumors (abstract). Cancer Research 9: 548.

- See also Fodor, Paul J. (and Greenstein); Price, Vincent E. (Gilbert and Greenstein); Price, Vincent E. (Meister, Gilbert, and Greenstein).

Greve, Clifford H.: See Mountin, Joseph W. (and Greve).

Grobstein, Clifford (and Younger): Combination of tissues from different species in flask culture. Science 110: 501.

Gutter, Frederick J.: See Sober, W. (Kegeles and Gutter).

## H

Habel, Karl: See Branham, W. E. (Habel and Lillie).

Haedicke, Thomas A. (and Greenspan): Massive stilbamidine therapy of multiple myeloma. Am. J. Clin. Path. 19: 634.

Hanna, Eleanor (and Glaser): Tuberculosis beds in the United States. Pub. Health Rep. 64: 1098.

Harding, Clifford V. (and Thomas): Effect of ultraviolet light (2537 Å) on cleavage time in centrifuged Arbacia eggs (abstract). Biol. Bull. 97: 241.

Harding, Virginia L. (and Harris): The effect of temperature variants on quantitative turbidimetric determinations of spinal fluid protein, using trichloracetic acid. J. Ven. Dis. Inform. 30: 325.

Hare, William V.: See Stewart, Harold L. (Hare, Lorenz, and Bennett).

Harmos, Oscar (and Beams): Diffuse progressive interstitial fibrosis of the lungs. Am. J. Med. 7: 425.

Harris, Ad: See Harding, Virginia L. (and Harris).

Harris, W. W.: See Rodriquez, Jack (Bauer, Plotke, Harris, and Weinstein).

Hartwell, J. L. (and Detty): Isolation, properties, and chemistry of alpha- and

beta-peltatin. Cancer Research 9: 597.

See also Burgoyne, F. H. (Heston, Hartwell, and Stewart); Downing, V. (Hartwell, Leiter, and Shear); Leiter, J. (Downing, Hartwell, and Shear); Leiter, J. (and Hartwell); Shear, J. M. (Downing, Hartwell, Leiter, MacCardle, Perrault, and Vivian); Shear, M. J. (Hartwell, Downing, MacCardle, Leiter, Perrault, and Johnson).

Haskins, W. T.: See Luttermoser, George W. (Haskins and Brady).

Hedan, C. G. (and Wyckoff): The electron microscopy of heated bacteria. J. Bact. 58: 153.

- Heimann, Harry (David and Sitgreaves): The acute illness. In Air pollution in Donora, Pa. Public Health Bulletin No. 306, p. 11.
- See also Schrenk, H. H. (Heimann, Clayton, Gafafer, and Wexler).
- Heller, J. R., Jr.: The new threshold in venereal disease control. Am. J. Syph., Gonor., and Ven. Dis. 33: 576.
- ——— The new threshold in venereal disease control. In A symposium on current progress in the study of venereal diseases, Washington, D. C., U. S. Government Printing Office, 1949, p. 193.
- Hemphill, Fay M.: See Gilliam, Alexander G. (Hemphill and Gerende).
- Hertz, Roy: Impairment of estrogen-induced tissue growth in the chick genital tract by folic acid antagonists (abstract). Cancer Research 9: 550.
- ——— (Dhyse and Tullner): Elevation of biotin activity in the serum of estrogentreated chicks; Relationship to hormone-induced avidin formation in the oviduct. Endocrinology 45: 451.
- ——— (and Tullner): The inhibition of androgen-induced comb growth in the chick by methylcholanthrene (abstract). Cancer Research 9: 551.
- ——— (Tullner, Westfall, and Emge): Intravenous administration of massive dosages of estrogen to the human subject; Blood levels attained. Proc. Soc. Exper. Biol. and Med. 72: 187.
- ——— (Westfall, Barrett, and Tuliner): The effect of ectopic autologous grafts of androgen-stimulated prostate upon serum "acid" phosphatase of the dog. J. Nat. Cancer Inst. 10: 61.
- Hesselbach, Marie L.: See Burk, Dean (Earle, Hesselbach, Fischer, Shelton, and Schilling); Riley, Vernon T. (Hesselbach, Woods, and Burk); Woods, Mark W. (DuBuy, Burk, Hesselbach, and Lackey).
- Heston, W. E.: Induction of pulmonary tumors in strain A mice with methyl-bis (β-chlorethyl) amine hydrochloride). J. Nat. Cancer Inst. 10: 125.
- ——— (and Deringer): Relationship between the hairless gene and susceptibility to induced pulmonary tumors in mice (abstract). Cancer Research 9: 603.
- ——— Relationship between the hairless gene and susceptibility to induced pulmonary tumors in mice. J. Nat. Cancer Inst. 10: 119.
- ——— (Deringer and Wayne): Mammary gland tumors in a line of C3H mice deprived of the milk agent (abstract). Cancer Research 9: 544.
- —— See also Burgoyne, F. H. (Heston, Hartwell, and Stewart); Lorenz, Egon (Eschenbrenner, Heston, and Deringer); Lorenz, Egon (Heston and Eschenbrenner); Robertson, William Van R. (Dalton and Heston).
- Hewitt, W. L.: Urinary tract infection. In Streptomycin, nature and practical applications by S. A. Waksman, Baltimore, Williams and Wilkins, 437 pp.
- Highman, Benjamin (and Altland): Acclimatization response and pathologic changes induced in rats by repeated exposure to 25,000 feet simulated altitude. Arch. Path. 48: 503.
- See also Smith, Willie W. (Highman, Mitchell, and Blount).
- Hine, G.: Sensitivity of gamma ray counters. Science 110: 380.
- Hingson, Robert A.: Continuous caudal analgesia in obstetrics, surgery, and therapeutics. Brit. Med. J. 2: 777.
- See also Flowers, Charles E., Jr. (Hellman and Hingson).
- Hoffmaster, B.: See Specht, H. (Marshall and Hoffmaster).
- Hoge, Vane M.: Hospital survey and construction program. Pub. Health Rep. 64: 991.
- —— Progress report on Hospital Survey and Construction Act. Am J. Pub. Health 39: 889.

Hollcroft, J. Weikel (and Lorenz): Retention of radon by the mouse. I. Experimental determination of biodecay and energy absorbed. Nucleonics 5: 63, Sept.

Hope, Malcolm C.: The hospital survey and construction program. Environmental sanitation. Am. J. Pub. Health 39: 893.

Hornibrook, J. W.: A simple, inexpensive apparatus for the desiccation of bacteria and other substances. J. Lab. and Clin. Med. 34: 1315.

Hosey, Andrew D. (and Nevins): Evaluation of plant effluents. In Air pollution in Donora, Pa. Public Health Bulletin No. 306, p. 86.

- See also Paulus, Harold J. (Hosey, Crothers, and Byers).

Hottle, George A. (Nedzel, Wright, and Bell): Allergic encephalitis following injection of dialysate of brain tissue. Proc. Soc. Exper. Biol. and Med. 72: 289.

Hudson, C. S.: Apiole and the glycosides of the parsley plant. In Advances in carbohydrate chemistry, New York, Academic Press, vol. 4, p. 57.

——— See also Fletcher, Hewitt G., Jr. (and Hudson); Fletcher, Hewitt G., Jr. (Koehler and Hudson); Stewart, Laura C. (Richtmeyer and Hudson).

Hueper, W. C.: Occupational cancer hazards in industry. Indust. Hyg. Newsletter 9: 7, Dec.

Hughes, Dorothy M. (and Reid): The synthesis of toluene-1,3,5-c<sup>14</sup> and oxalic acid-c<sup>14</sup>; The mechanisms of the reactions. J. Org. Chem. 14: 516.

Hughes, John H.: Aircraft and Public Health Service foreign quarantine entomology. Supp. No. 210 to Pub. Health Rep., 38 pp.

Hughes, Lyndahl E.: See Jellison, W. L. (Eneboe, Parker, and Hughes).

Hundley, J. M.: Influence of fructose and other carbohydrates on the niacin requirement of the rat. J. Biol. Chem. 181: 1.

1

Imboden, C. A., Jr.: See Cooper, W. Clark (Coatney, Imboden, and Jefferey).

J

Jackson, E. L.: See Smith, M. I. (Jackson, Junge, and Bhattacharya).

Jacobs, Leon (and Jones): The parasitemia in experimental toxoplasmosis (abstract). J. Parasitol. 35: 24, Dec. Supp., Sec. 2.

Jefferey, Geoffrey M.: See Cooper, W. Clark (Coatney, Imboden, and Jefferey); Eyles, Don E. (and Jefferey).

Jellison, William L: Cuterebra thomomuris sp. nov., a warble from the pocket gopher, Thomomys talpoides (Rodentia: Geomyidae). J. Parasitol. 35: 482.

(Eneboe, Parker, and Hughes): Rat-bite fever in Montana. Pub. Health Rep. 64: 1661.

Johansen, Frederick A. (and Erickson): Studies on the therapy of leprosy. Internat. J. Leprosy 17: 273 (Reprinted from Proc. Fourth Internat. Cong. Trop. Med. and Malaria 1: 365).

——— (Erickson and Ross): The diagnosis of leprosy. Supp. Trop. Med. News, July-Dec. 24 pp.

Johnson, James M.: See Shear, M. J. (Hartwell, Downing, MacCardle, Leiter, Perrault, and Johnson).

Johnson, Ralph J.: The Housing Act of 1949 and health department programs: Pub. Health Rep. 64: 1331.

Johnson, Thomas H., Jr.: See Young, Martin D. (and Johnson).

Jones, Frances R.: See Jacobs, Leon (and Jones).

Jones, Herbert H.: See Paulus, Harold J. (Horecker and Jones); Paulus, Harold J. (and Jones). Jones, Myrna F.: See Newton, Walter L. (and Jones).

\*Josephson, Edward S. (Taylor, Greenberg, and Nadel): The ascorbic acid content of the adrenal glands of chicks infected with *Plasmodium gallinaceum*.

J. Nat. Malaria Soc. 8: 132.

Junge, J. M.: See Smith, M. I. (Jackson, Junge, and Bhattacharya).

# K

Kahler, Herbert (and Buchanan): Effect of the injection of various substances upon the *in vivo* electrical resistance of rats (abstract). Cancer Research 9: 556.

——— (and Woods): Electron microscope and electrophoretic study of two strains of tobacco mosaic virus. Arch. Biochem. 22: 393.

See also Dautrebande, L. (Kahler, Lloyd, and Mitchell). Kahler, Josephine: See Belkin, Morris (Tobie, Kahler, and Shear).

Kahn, Harold A. (and Smith): Estimation of chronic disease prevalence with particular reference to syphilis. Pub. Health Rep. 64: 1201.

Kaiser, Raymond F.: Proposed elements of a State cancer control program. Pub. Health Rep. 64: 1169.

Kandle, Roscoe P. (and Goetz): A practical method of securing data regarding services to mothers and infants. Am. J. Pub. Health 39: 1451.

Kaplan, Henry S.: Comparative susceptibility of the lymphoid tissues of strain C57 black mice to the induction of lymphoid tumors by irradiation (abstract). Cancer Research 9: 545.

 Preliminary studies on the effectiveness of local irradiation in the induction of lymphoid tumors in mice. J. Nat. Cancer Inst. 10: 267.

——— See also Merwin, Ruth M. (Algire and Kaplan).

Kaplan, N.: See Yagoda, H. (and Kaplan).

Kegeles, G.: See Sober, W. (Kegeles and Gutter).

Kelly, Margaret G. (MacCardle and Smith): Effects of podophyllotoxin and picropodophyllin of blood cells and other tissues of rats and mice (abstract). Cancer Research 9: 599.

Kent, Frederick S.: Engineering aspects of home accident prevention. Am. J. Pub. Health 39: 1531.

Kershaw, Bernice B.: See Tauber, Henry (Kershaw and Wright).

King, Clara V.: See Erb, Mildred (and King).

King, Mary Ann: See Stough, B. Dolores (King and Eyles).

Kissling, Robert E.: See von Brand, Theodor (Tobie, Kissling, and Adams).

Klem, Margaret C.: Prepaid medical care at Trinity Hospital, Little Rock, Arkansas, 1941 and 1942. Soc. Sec. Bull. 12: 8, Sept.

Knutson, John W. (and Scholz): The effect of topically applied fluoride on dental caries experience. Pub. Health Rep. 64: 1403.

Koehler, Leonore H.: See Fletcher, Hewitt G., Jr. (Koehler and Hudson).

Kohler, Charles E.: Filariasis control by DDT residual house spraying, Saint Croix, Virgin Islands. I. Operational aspects. Pub. Health Rep. 64: 857.

Kohls, Glen M.: Haemaphysalis centropi, a new species of tick from birds in the Far East. J. Parasitol. 35: 388.

Kolb, Lawrence C.: An evaluation of lobotomy and its potentialities for future research in psychiatry and the basic sciences. J. Nerv. and Ment. Dis. 110: 112.

- Kolb, Lawrence C.: Research and its support under the National Mental Health Act. Am. J. Psychiat. 106: 407.
- \*Komp, William H. W.: A note on disease-bearing mosquitoes breeding in bromeliads. Mosquito News 9: 72.
- Korman, Belle (Eisenberg, Plotke, Aron, and Rodriquez): Report of treatment with fortified penicillin of 248 early latent syphilitic mothers and follow up. In A symposium on current progress in the study of venereal diseases, Washington, D. C., United States Government Printing Office, 1949, p. 145.
- Kovar, Edward P.: See Mountin, Joseph W. (and Kovar).
- Krueger, Frederick J.: See Michele, Arthur A. (and Krueger).

## L

- Labaw, L. (Mosley and Wyckoff): Lysis of formalinized bacteria by bacteriophage. Science 110: 275.
- Lackey, Mary: See Woods, Mark W. (DuBuy, Burk, Hesselbach, and Lackey).
  Lackman, David B. (Parker and Gerloff): Serological characteristics of a pathogenic Rickettsia occurring in Amblyomma maculatum. Pub. Health Rep. 64: 1342.
- See also Parker, Ralph R. (de Prada, Bell, and Lackman).
- Landing, B. M. (Goldin and Noe): Testicular lesions in mice following administration of nitrogen mustard. Cancer 2: 1075.
- ——— (Goldin, Noe, Goldberg, and Shapiro): Systematic pathological effects of nitrogen mustards and a comparison of toxicity, chemical structure, and cytoxic effect with reference to the chemotherapy of tumors. Cancer 2: 1055.
- Larsen, C. D.: See Mostofi, F. K. (and Larsen).
- Larson, Carl L.: The effect of aureomycin upon infections with Bacterium tularense in experimental animals. J. Immunol. 62: 425.
- Laskey, Alice M.: Acid thionin stain for Nissl bodies on frozen sections. Stain Technol. 24: 143.
- Law, Lloyd W.: Preliminary study of the cytotoxic action of the mammary tumor agent antiserum on mammary cancer cells (abstract). Cancer Research 9: 544.
- ——— (and Dunn): The response of acute lymphoid leukemias in mice to 4-aminopteroylglutamic acid (aminopterin). Cancer Research 9: 606.
- —— (Dunn, Boyle, and Miller): Observations on the effect of a folic-acid antagonist on transplantable lymphoid leukemias in mice. J. Nat. Cancer Inst. 10: 179.
- LeBosquet, M., Jr.: See Woodward, R. L. (and LeBosquet).
- Legallais, Frances Y.: See Algire, Glenn H. (and Legallais).
- Leiter, J. (Downing, Hartwell, and Shear): The action of substances extracted from podophyllin on sarcoma 37 in mice (abstract). Cancer Research 9: 597.
- ——— (and Hartwell): Action on sarcoma 37 of compounds related to podophyllotoxin and to alpha- and beta-peltatin (abstract). Cancer Research 9: 625.
- ——— See also Downing, V. (Hartwell, Leiter, and Shear); Greenspan, Ezra M. (and Leiter); Greenspan, Ezra M. (Leiter and Shear); Shear, M. J. (Downing, Hartwell, Leiter, MacCardle, Perrault, and Vivian); Shear, M. J. (Hartwell, Downing, MacCardle, Leiter, Perrault, and Johnson); Waravdekar, V. S. (and Leiter).
- Leuthardt, Florence M.: See Greenstein, Jesse P. (Fodor and Leuthardt); Greenstein, Jesse P. (and Leuthardt).

- Levine, Benjamin S. (and Black): Comparative analysis of the standard methods methylene blue stain and advantages of the polychrome and acid-and water-free stains in the direct microscopic examination of milk. Am. J. Pub. Health 39: 1110.
- Liefmann, Robert (and Schultz): A brief review of the use of adrenal cortical steroids and related substances in the treatment of rheumatic fever and rheumatoid arthritis. Med. Ann. District of Columbia 18: 629.
- Likely, Gwendolyn: See Earle, Wilton R. (Sanford, Evans, Schilling, and Likely); Evans, Virginia J. (Earle, Duchesne, Edward, Wilson, Likely, and Schilling).
- Liljegren, Ervin J.: See Webster, Stewart H. (and Liljegren).
- Lillie, Ralph D.: A note on Giemsa stains. Am. J. Trop. Med. 29: 625.
- \*——— Studies on the histochemistry of normal and pathological muc ns in man and laboratory animals. Bull. Internat. Assoc. Med. Mus. 29: 1.
- ——— (and Mowry): Histochemical studies on absorption of iron by tissue sections. Bull. Internat. Assoc. Med. Mus. 30: 91.
- ——— See also Branham, W. E. (Habel and Lillie); Burtner, H. Jacquier (and Lillie); Peers, James H. (and Lillie).
- Link, Vernon: Plague among wild rodents in Rio Arriba County, New Mexico. Am. J. Trop. Med. 29: 493.
- Lippincott, Stuart W.: See Ellerbrook, Lester D. (Rhees, Thornton, and Lippincott); Thornton, Helen (Ellerbrook, Rhees, and Lippincott).
- Lloyd, B. J.: See Dautrebande, L. (Kahler, Lloyd, and Mitchell).
- Longnecker, William H.: Simplified partition chromatographic procedures. Resolution of sulfonamides, sulfones, and their metabolic products from biological materials. Analytical Chem. 21: 1402.
- Lorenz, Egon: Preparation of emulsions and suspensions containing carcinogen'c hydrocarbons. J. Nat. Cancer Inst. 10: 355.
- \*—— (Eschenbrenner, Heston, and Deringer): Carcinogenic action of gamma and X-rays (summary). Acta Unio Internationalis Contra Cancrum 6: 818.
- ——— (Heston and Eschenbrenner): Effects of chronic irradiation with gamma rays on mammary tumor incidence in C3HB female mice (abstract). Cancer Research 9: 621.
- ——— See also Hollcroft, J. Weikel (and Lorenz); Stewart, Harold L. (Hare, Lorenz, and Bennett); Stewart, Harold L. (and Lorenz).
- Luttermoser, George W. (Haskins and Brady): Therapeutic and toxic properties of oxygen versus sulfur bound trivalent antimony in organic antimonials.

  J. Pharmacol. and Exper. Therap. 97: 276.

## M

- MacCardle, Ross C.: Changes in mitosis in sarcoma cells of mice treated with podophyllin and with colchicine derivatives (abstract). Cancer Research 9: 555.
- Magnuson, Harold J.: Present trends in the treatment of syphilis. North Carolina Med. J. 10: 577.
- ——— (Rosenau and Clark): The duration of acquired immunity in experimental syphilis. Am. J. Syph., Gonor., and Ven. Dis. 33: 297.
- A symposium on current progress in the study of venereal diseases, Washington, D. C., United States Government Printing Office, 1949, p. 196.

- Magnuson, 'Harold J.: The susceptibility of various strains of mice to experimental syphilis. Am. J. Syph., Gonor., and Ven. Dis. 33: 308.
- ——— The susceptibility of various strains of mice to experimenta syphilis. In A symposium on current progress in the study of venereal diseases, Washington, D. C., United States Government Printing Office, 1949, p. 18.
- —— (and Thompson): Treponemal immobilization test of normal and syphilitic serums. J. Ven. Dis. Inform. 30: 309.
- See also Thompson, Fred A. (and Magnuson).
- Magoffin, Robert L. (Kabler, Spink, and Fleming): An epidemiologic study of brucellosis in Minnesota. Pub. Health Rep. 64: 1021.
- Mahoney, J. F. (and Arnold): Penicillin treatment of early syphilis—First four patients after six years. J. Ven. Dis. Inform. 30: 350.
- ——— (and Zwally): Observations on the serodiagnosis of syphilis. Bull. World Health Organization 2: 227.
- —— See Arnold, R. C. (and Mahoney); Wright, R. D. (Nicholson, Mahoney, and Arnold).
- Mao, C. P.: See Olivier, Louis J. (and Mao).
- Markee, Mabelle: See David, Wilfred D. (Markee and Smith).
- Marshall, L. H.: See Specht, H. (Marshall and Hoffmaster).
- Marshall, Wade H.: (Essig and Dubroff): Essential factors involved in the spreading of cortical depression (abstract). Am. J. Physiol. 159: 579.
- Masur, Jack (and Thompson): The national clinical center for chronic disease research. Hospitals 23: 45, Nov.
- Mathis, Willis (and Quarterman): Preliminary field studies on the use of heavy dosages of DDT and benzene hexachloride as residual mosquito larvicides. J. Nat. Malaria Soc. 8: 270.
- Maver, Mary E. (and Greco): The hydrolysis by cathepsins from calf thymus. J. Biol. Chem. 181: 853.
- The nuclease activities of cathepsin preparations from calf spleen and thymus. J. Biol. Chem. 181: 861.
- See also Bryan, W. Ray (Maver, Moloney, Thomas, and Sells).
- May, Everette (and Mosettig): Cyclitol derivatives. I. Derivatives of rac.-epiinosose. J. Org. Chem. 14: 1137.
- McClure, F. J.: Fluorine in foods. Survey of recent data. Pub. Health Rep. 64: 1061.
- Mineral metabolism (fluorine and other trace elements). In Annual review of biochemistry, Stanford, Calif., Annual Reviews, Inc., vol. 18, p. 335.
- McCullough, Norman B.: Laboratory tests in the diagnosis of brucellosis. Am. J. Pub. Health 39: 866.
- ——— (Eisele, and Beal): Oral administration of killed Brucella to man. Pub. Health Rep. 64: 1613.
- McDonald, Roger K. (and Miller): Effect of mercury on renal tubular transfer of p-aminohippurate and glucose in man. Proc. Soc. Exper. Biol. and Med. 72: 408.
- ——— (Solomon and Shock): Ageing as a factor in the renal hemodynamic response to a standardized pyrogen test (abstract). Am. Heart. J. 38: 476.
- McGibony, J. R. (and Block): Better patient care through coordination. Pub. Health Rep. 64: 1499.
- McLeod, Charlotte: See Garson, Warfield (McLeod, Tetrault, Koffler, Peterson, and Colingsworth).
- Mehlman, Benjamin: See von Brand, Theodor (Mehlman and Nolan).
- Meister, Alton: Lactonase and c-acylase activity of hepatoma. J. Nat. Cancer Inst. 10: 75.

Meister, Alton: See also Price, Vincent E. (Meister, Gilbert, and Greenstein).

Melroy, M. B. (and Spencer): Studies of survival of unicellular species. II. Some principles involved in the survival of bacterial species. J. Nat. Cancer Inst. 10: 11.

- See also Spencer, R. R. (and Melroy).

Menciner, F. R.: See Stoenner, H. G. (Menciner and Fraser).

Merwin, Ruth M. (Algire and Kaplan): Effects of irradiation with X-rays on mammary tumor transplants observed *in vivo* (abstract). Cancer Research 9: 620.

Michele, Arthur A. (and Krueger): Surgical approach to the vertebral body. J. Bone and Joint Surg. 31-A: 873.

Miller, Arthur P.: See Graber, Ralph C. (and Miller).

Miller, Charles H., Jr.: A new program to find diabetes. Health (Wisconsin State Board of Health Bulletin) 8: 537.

Miller, J. H.: See Law, Lloyd W. (Dunn, Boyle, and Miller); McDonald, Roger K. (and Miller).

Mitchell, E. R.: See Dautrebande, L. (Alford, Irwin, Mitchell, Thompson, Weaver, and Wood); Dautrebande, L. (Kahler, Lloyd, and Mitchell); Smith, Willie W. (Highman, Mitchell, and Blount).

Moloney, John B.: See Bryan, W. Ray (Maver, Moloney, Thomas, and Sells).

Morgan, Walter C.: See Barrett, Morris K. (and Morgan).

Morlan, H. B.: See Emmons, C. W. (Morlan and Hill).

Morrow, Andrew G. (Greenspan and Carroll): Liver-glucuronidase activity of inbred mouse strains. J. Nat. Cancer Inst. 10: 657.

Morse, John W.: See Usilton, Lida J. (and Morse).

Mosettig, Erich: See May, Everette L. (and Mosettig).

Mosley, V.: See Labaw, L. (Mosley and Wyckoff).

Mostofi, F. K. (and Larsen): Cytogenesis of pulmonary tumors induced by urethane (abstract). Cancer Research 9: 544.

Moulton, S. H. (and Huggins): Serum esterases in cancer (abstract). Cancer Research 9: 547.

Mountin, Joseph W.: Changing concepts of basic local public health services. Am. J. Pub. Health 39: 1417.

The history and function of the U. S. Public Health Service. In Public health in the world today, Cambridge, Mass., Harvard University Press, p. 83.
 (and Greve): The role of grants-in-aid in financing public health programs. Public Health Bulletin No. 303, 45 pp.

(and Kovar): Emergency health and sanitation activities of the Public Health Service during World War II. Public Health Bulletin No. 302, 96 pp.
 (Pennell and Berger): Health service areas. Estimates of future physician requirements. Public Health Bulletin No. 305, 89 pp.

Mowry, Robert W.: A comparison of technical procedures for the histochemical preservation of alkaline phosphatase. Bull. Internat. Assoc. Med. Mus. 30: 95.

—— See also Lillie, R. D. (and Mowry).

\*Mühlethaler, Kurt: The structure of bacterial cellulose. Biocaimica et Biophysica Acta 3: 527.

Musselman, A. D.: See Eagle, Harry (and Musselman).

## N

Nadel, Eli M.: See Josephson, Edward S. (Taylor, Greenberg, and Nadel). Naylor, Martha B.: See Bush, Chesley (McNett, Petrie, and Naylor). Neal, Paul A.: See Specht, Heinz (and Neal).

- Nedzel, Gleb A.: See Hottle, George A. (Nedzel, Wright, and Bell).
- Nevins, Frederick: See Hosey, Andrew D. (and Nevins).
- Newman, Samuel Clayton: Needs and future prospects for integrating marriage and divorce data with other vital statistics. Am. J. Pub. Health 39: 1141.
- Newton, Walter L. (and Jones): The effect of ozone in water on systs on Endamoeba histolytica. Am. J. Trop. Med. 29: 669.
- \_\_\_\_\_ Effectiveness of silver ions against cysts of Endamoeba histolytica.
  J. Am. Water Works Assoc. 41: 1027.
- \*Nichols, Marion E.: Fruit canning for the diabetic. ADA Forecast 2: 23, May.
- Nicholson, F. P.: See Wright, R. D. (Nicholson, Mahoney, and Arnold).

  Nolan, M. O. (and Berry): Preliminary field trials with laboratory-tested mol-
- Northrop, Cedric (Anderson and Sauer): What is a reportable case of tuberculosis? Pub. Health Rep. 64: 961.

C

- O'Brien, Henry R.: The health officer and his staff receive the foreign visitor. Am. J. Pub. Health 39: 1522.
- Oportunidades de becas para trabajadores de salubridad en los Estados Unidos (Fellowship opportunities in the United States for health workers). Bol. Ofic. san. panam. 28: 669.
- —— An international educational program in the field of health. Canadian J. Pub. Health 40: 387.
- Olivier, Louis J.: The fate of dermatitis-producing schistosome cercariae in laboratory animals (abstract). J. Parasitol. 35: 30, Dec. Supp., Sec. 2.
- A note on schistosomiasis in eastern Japan. Am. J. Trop. Med. 28: 867.

  (and Mao): The early larval stages of Schistosoma mansoni Sambon, 1907 in the snail host, Australorbis glabratus (Say, 1818). J. Parasitol. 35: 267.
- Olson, Rodney A. (Brackett and Crickard): Oxygen tension measurement by the static platinum electrode with alternating potential. J. Gen. Physiol. 32: 681.
- Osborne, Elton S. (Tabor, Bouser, Anderson, and Frankhauser): Report of a nutrition demonstration program in Ottawa County, Michigan. Pub. Health Rep. 64: 1603.

P

- Palmer, Carroll E.: Prospectus of research in mass BCG vaccination. Pub. Health Rep. 64: 1250.
- See also Goddard, Jennie C. (Edwards and Palmer).
- Pamplona, P. A. (and Hamilton): Miniature chest roentgenograms in schools and industries in San Antonio, Texas. Am. Rev. Tuberc. 60: 501.
- Parker, Ralph R. (de Prada, Bell, and Lackman): Recovery of C. burnetii from H. savignyi collected in Spain. Pub. Health Rep. 64: 1616.
- (and Sussman): Spontaneous infection of the brown dog tick, Rhipicephalus sanguineus with Coxiella burnetii. Pub. Health Rep. 64: 1159.
- —— See also Jellison, W. L. (Eneboe, Parker, and Hughes); Lackman, David B. (Parker and Gerloff).
- Paulus, Harold J. (Horecker and Jones): Meteorological conditions and atmospheric contaminants. In Air pollution in Donora, Pa. Public Health Bulletin No. 306, p. 149.
- (Hosey, Crothers, and Byers): Investigation of atmospheric contaminants. Collection and determination. In Air pollution in Donora, Pa. Public Health Bulletin No. 306, p. 81.

- Paulus, Harold J. (and Jones): General atmospheric pollution. In Air pollution in Donora, Pa. Public Health Bulletin No. 306, p. 113.
- Pecora, L. J.: See von Oettingen, W. F. (Powell, Sharpless, Alford, and Pecora). Peers, James H. (and Lillie): The topographic pathology of the cerebral lesions of acute poliomyelitis in man. I. The medullao blongata. Am. J. Path. 25: 725.
- Pennell, Elliott H.: See Mountin, Joseph W. (Pennell and Berger).
- Perrault, Adrian (and Shear): The bacterial cell of S. marcescens as a source of tumor-necrotizing polysaccharide (abstract). Cancer Research 9: 626.
- ——— See also Beck, Lyle V. (Perrault and Gillespie); Shear, M. J. (Downing, Hartwell, Leiter, MacCardle, Perrault, and Vivian); Shear, M. J. (Hartwell, Downing, MacCardle, Leiter, Perrault, and Johnson).
- Perrine, Theodore D. (and Sargent): Studies in the acridine series. VI. The reaction of certain 9-formylacridines with 3-D-n-butylaminopropylmagnesium chloride. J. Org. Chem. 14: 583.
- Petry, Lucile: Statewide planning for nurse training. Hospitals 23: 62, Nov.
- We hail an important "First". Am J. Nursing 49: 630.
- See also Bush, Chesley (McNett, Petry, and Naylor).
- Philip, Cornelius B.: New North American Tabanidae (Diptera). I. Pangoniinae. Ann. Entom. Soc. America 42: 451.
- Scrub typhus, or tsutsugamushi disease. Scient. Monthly 69: 281.
- (Traub and Smadel): Chloramphenical (chloromycetin) in the chemoprophylaxis of scrub typhus (tsutsugamushi disease). I. Epidemiological observations on hyperendemic areas of scrub typhus. Am. J. Hyg. 50: 63.
- —— See also Smadel, Joseph E. (Traub, Ley, Philip, Woodward, and Lewthwaite).
- Pittman, M.: See Davis, Dorland J. (and Pittman).
- Plotke, Frederick (Eisenberg, Baker, and Laughlin): Penicillin in the abortive treatment of syphilis. J. Ven. Dis. Inform. 30: 252.
- Penicillin in the abortive treatment of syphilis. In A symposium on current progress in the study of venereal diseases, Washington, D. C., U. S. Government Printing Office, 1949, p. 260.
- Poiley, Samuel M.: Raising captive meadow voles (*Microtus p. pennsylvanicus*). J. Mammology **30**: 317.
- Poindexter, Hildrus A: A laboratory epidemiological study of certain infectious diseases in Liberia. Am. J. Trop. Med. 29: 435.
- Polson, A.: Chromatography of amino acids belonging to homologous series. Biochimica et Biophysica Acta 3: 205.
- \*—— (and Shepard): On the diffusion rates of bacteriophages. Biochimica et Biophysica Acta 3: 137.
- Pond, M. Allen: Water resources and the Nation's health. Pub. Health Rep. 64: 885.
- Posner, Irene: See Buck, John B. (Keister and Posner).
- Powell, C. C.: See von Oettingen, W. F. (Powell, Sharpless, Alford, and Pecora).
- Price, Vincent E. (Gilbert and Greenstein): The resolution of several racemic amino acids. J. Biol. Chem. 179: 1169.
- ——— (Meister, Gilbert, and Greenstein): The separation of dehydropeptidase and analogous L- and D- peptidases. J. Biol. Chem. 181: 535.
- Prince, Frank M.: See Eskey, C. R. (Prince and Fuller).

Q

Quarterman, Kenneth D.: See Mathis, Willis (and Quarterman).

- Rees, Charles W.: Observations of *Endamoeba hystolytica* in microcultures of *Trichonomas foetus* (abstract). J. Parasitol. **35**: 17, Dec. Supp., Sec. 2.
- Renes, Lucian E.: Environmental aspects of the foundry study. Indust. Hyg. Newsletter 9: 10, Oct.
- Reynolds, Helen: See Spicer, S. S. (and Reynolds).
- \*Reynolds, William F.: See Gillick, Frederick G. (and Reynolds).
- Rhees, Mark: See Ellerbrook, Lester (Rhees, Thornton, and Lippincott); Thornton, Helen (Ellerbrook, Rhees, and Lippincott).
- Richtmyer, Nelson K.: See Stewart, Laura C. (Richtmyer and Hudson).
- Riley, Vernon T. (Hesselbach, Woods, and Burk): Application of chromatography to the segregation of subcellular particulates (abstract). Cancer Research 9: 614.
- Rion, J. Wallace (and Abraham): Factors affecting the results of interviewing for contacts. J. Ven. Dis. Inform. 30: 341.
- Robertson, William Van R. (Dalton and Heston): Changes in a transplanted fibrosarcoma associated with ascorbic-acid deficiency. J. Nat. Cancer Inst. 10: 53.
- Rodriquez, Jack (Bauer, Plotke, Harris, and Weinstein): The effect of caronamide on penicillin blood levels. A comparative study of 288 males given one-day treatment for uncomplicated gonorrheal urethritis with penicillin alone, caronamide alone, and penicillin combined with caronamide in single and multiple oral doses. In A symposium on current progress in the study of venereal diseases, Washington, D. C., United States Government Printing Office, 1949, p. 148.
- Roemer, Milton I.: Tuberculosis and its control in rural areas. Pub. Health Rep. 64: 1269.
- Rosenau, Barbara J.: See Magnuson, Harold J. (Rosenau and Clark).
- Rosenberg, Arthur A.: Serologic activity of dipalmityl lecithin. Preliminary report. J. Ven. Dis. Inform. 30: 194.
- Rosenthal, Sanford M.: A colorimetric method for the estimation of aceto-acetic acid in the blood. J. Biol. Chem. 179: 1235.
- —— The histamine content of some experimental tumors. J. Nat. Cancer Inst. 10: 89.
- Ross, Mabel: The nurse and family counseling. Pub. Health Nursing 41: 485. Ross, Sister Hilary: The thymol turbidity and cephalin-cholesterol tests, euglobulin, albumin-globulin ratio and serology in leprosy. Internat. J. Leprosy 17: 237.
- ——— (and Gemar): Comparative studies of the cardiolipin antigens with the regular antigens in the Kolmer complement fixation and the Kahn precipitation tests in leprosy. Internat. J. Leprosy 17: 383.
- --- See also Johansen, Frederick A. (Erickson and Ross).
- Rozsa, Georg (Szent-Györgyi and Wyckoff): The electron microscopy of F-actin. Biochimica et Biophysica Acta 3: 561.
- Ruhe, David S.: See Coatney, G. Robert (Cooper, Ruhe, and Young); Cooper, W. Clark (Ruhe and Coatney).

8

- Sackett, Andrew P. (and Boggs): A report of spinal fluid findings in ratients who "relapsed" following penicillin therapy for early syphilis. J. Ven. Dis. Inform. 30: 219.
- Salpas, Tula: Techniques of health education. Indust. Hyg. Newsletter 9: 13, Sept.

Salpas, Tula: Where health education and health services merge. Indust. Hyg. Newsletter 9: 14, Aug.

Salvin, S. B.: The serologic relationship of fungus antigens. J. Lab. and Clin. Med. 34: 1096.

Sanford, Katherine (Earle, Schilling, Duchesne, and Shelton): A transformation of normal to malignant tisue in vitro (abstract). Cancer Research 9: 558.

- See also Erle, Wilton R. (Sanford, Evans, Schilling, and Likely).

Sargent, Lewis J.: See Perrine, Theodore D. (and Sargent).

Sauer, Herbert I: See Northrup, Cedric (Anderson and Sauer).

Schafer, Margaret K.: Staffing the general hospital of 25 to 100 beds. Washington, D. C., Public Heath Service, 20 pp. Processed. Also reprinted by the American Hospital Association. Chicago, Ill., The Association, publication No. G 25-49, 30 pp.

Scheele, Leonard A.: The first five years [Editorial on tuberculosis control]. Pub. Health Rep. 64: 817.

— A general view of cancer research. The Fourth James Ewing Memorial Lecture. Bull. New York Acad. Med. 25: 671.

— The health status and health education of Negroes. J. Negro Education (Yearbook Number) 18: 200.

—— Negro Health Week and the health of the Negro. Nat. Negro Health News 17: 5, July-Sept.

Schilling, Edward: See Burk, Dean (Earle, Hesselbach, Fischer, Shelton, and Schilling); Earle, Wilton R. (Sanford, Evans, Schilling, and Likely); Evans Virginia J. (Earle, Duchesne, Edward, Wilson, Likely, and Schilling); Sanford, Katherine (Earle, Schilling, Duchesne, and Shelton).

Schneiter, Roy: The role of bacteriology in industrial hygiene. Indust. Hyg. Newsletter 9: 11, July.

Scholz, Grace C.: See Knutson, John W. (and Scholz).

Schrenk, H. H. (Heimann, Clayton, Gafafer, and Wexler): Air pollution in Donora, Pa. Epidemiology of the unusual smog episode of October 1948. Preliminary report. Public Health Bulletin No. 306, 173 pp.

Schultz, Mark P.: See Liefmann, Robert (and Schultz).

Schumacher, Henry C.: Mental health in public health programs. Am. J. Psychiat. 106: 413.

Schwartz, Louis: Dermatitis among the public from new fabrics, dyes, and finishes. Indust. Hyg. Newsletter 9: 5, Aug. Reprinted from Chem. and Engin. News 27: 1358.

——— (and Birmingham): Skin cleansers for industry. Indust. Hyg. Newsletter 9: 3, Sept.

Schwarz, Klaus: Dietetic hepatic injuries and the mode of action of tocopherol. Ann. New York Acad. Med. 52: 225.

Scott, David B. (and Wyckoff): Studies of tooth surface structure by optical and electron microscopy. J. Am. Dent. Assoc. 39: 275.

Scott, K. G. (Bostick, Shimkin, and Hamilton): The distribution of globulin bound thyroid fractions of iodine in normal and tumerous animals after intravenous administration using I<sup>181</sup> as a tracer. Cancer 2: 692.

Scudder, Harvey I.: Some principles of fly control for the sanitarian. Am. J. Trop. Med. 29: 609.

Sebrell, William H.: Iodine—A food essential. Pub. Health Rep. 64: 1075.

Sells, M. T.: See Bryan, W. Ray (Maver, Moloney, Thomas, and Sells).

Shack, Joseph: Purification and kinetic properties of deydropeptidases I and II.
J. Biol. Chem. 180: 411.

- Shacter, Bernard: Increase in yeast respiration in presence of several steroids and diethylstilbestrol. Arch. Biochem. 23: 321.
- ——— (Byron and Shimkin): Effect of intravenous glucose on gastric lactic acid in gastric carcinoma. J. Nat. Cancer Inst. 10: 331.
- ——— (and Shimkin): Catecholase and catecholase-inhibitor activity of human blood sera. J. Nat. Cancer Inst. 10: 637.
- Shannon, R. D.: See Sorenson, R. M. (and Shannon).

sarcoma 37 (abstract). Cancer Research 9: 625.

- Sharpless, N. E.: See von Oettingen, W. F. (Powell, Sharpless, Alford, and Pecora). Shear, M. J. (Downing, Hartwell, Leiter, MacCardle, Perrault, and Vivian): Preliminary screening of 1,000 chemical agents for potency in producing damage in
- ——— (Hartwell, Downing, MacCardle, Leiter, Perrault, and Johnson): Summary of data in first screening of chemical agents for potency in producing damage in sarcoma 37 (abstract). Cancer Research 9: 560.
- ——— See also Belkin, Morris (Tobie, Kahler, and Shear); Downing, V. (Hartwell, Leiter, and Shear); Greenspan, Ezra M. (Leiter and Shear); Leiter, J. (Downing, Hartwell, and Shear); Perrault, Adrian (and Shear).
- Shelton, Emma: See Burk, Dean (Earle, Hesselbach, Fischer, Shelton, and Schilling); Sanford, Katherine (Earle, Schilling, Duchesne, and Shelton).
- Shepard, Charles C. (and Tiselius): Chromatography of proteins. The effect of salt concentration and pH on the adsorption of proteins to silica gel. Disc. Farady Soc. No. 7, p. 275.
- See also Polson, A. (and Shepard).
- Shimkin, Michael B. (and Bierman): Experimental chemotherapy of neoplastic diseases. Radiology 53: 518.
- ——— (and McClelland): Induced pulmonary tumors in mice. IV. Analysis of dose response data with methyl-cholanthrene. J. Nat. Cancer Inst. 10: 597.
- ——— See also Bierman, Howard R. (Shimkin, Mettier, Weaver, Berry, and Wise); Scott, K. G. (Bostick, Shimkin, and Hamilton); Shacter Bernard (Byron and Shimkin); Shacter, Bernard (and Shimkin).
- Shock, Nathan W.: Physiological capacities of elderly workers. In Never too old, New York State Joint Legislative Committee on Problems of the Aging, legislative document No. 32, p. 132.
- —— See also Birren, J. E. (and Shock); Davis, James O. (and Shock); Mc-Donald, Roger K. (Solomon and Shock); Solomon, D. H. (and Shock); Yiengst, Marvin J. (and Shock).
- Sitgreaves, Rosedith: See Heimann, Harry (David and Sitgreaves).
- Smadel, Joseph E. (Traub, Ley, Philip, Woodward, and Lewthwaite): Chloramphenicol (chloromycetin) in the chemoprophylaxis of scrub typhus (tsutsugamushi disease). II. Results with volunteers exposed in hyperendemic areas of scrub typhus. Am. J. Hyg. 50: 75.
- Smith, Clinton S.: See Tomlinson, Thomas N., Jr. (Fogg and Smith).
- Smith, Emily M.: See David, Wilfred D. (Markee and Smith).
- Smith, M. I. (Jackson, Junge, and Bhattacharya): The pharmacologic and chemotherapeutic action of some new sulfones and streptomycin in experimental tuberculosis. Am. Rev. Tuberc. 60: 62.
- Smith, Willie W. (Highman, Mitchell, and Blount): Effect of environmental temperature on the response of mice to whole-body roentgen radiation (abstract). Proc. Soc. Exper. Biol. and Med. 71: 498.
- Snoke, John E. (and Neurath); Structural requirements of specific substrates for carboxypeptidase. J. Biol. Chem. 181: 789.
- Sober, W. (Kegeles and Gutter): Chromatographic analysis of a mixture of proteins from egg white. Science 110: 564.

- Sollner, Karl: The origin of bi-ionic potentials across porous membranes of high ionic selectivity. I. The bi-ionic potential and the mechanism of its origins; the various factors which determine the sign and the magnitude of the bi-ionic potential; the simplest chains in which bi-ionic potentials arise; systems with critical ions of the same size and of different adsorbability. II. Bi-ionic potentials in chains with heteroporous membranes, and with critical ions of unequal size and different adsorbabilities; chains with membranes of less than ideal ionic selectivity and other chains which deviate from ideality. J. Physical and Colloid Chem. 53: 1211, 1226.
- Solomon, D. H. (and Shock): The physiologic response of elderly males to the administration of adrenocorticopropic hormone. J. Gerontol. 4: 328.
  - --- See also McDonald, Roger K. (Solomon and Shock).
- Sorenson, R. M. (and Shannon): Case holding in out-patient therapy of syphilis. J. Ven. Dis. Inform. 30: 281.
- Southworth, J. L.: Changes in renal function and circulation during temporary denervation. Anesth. and Analg. 28: 279.
- \*Specht, H. (and Brubach): Modified string flowmeter for measuring breath velocity. Rev. Scient. Instruments 20: 422.
- ——— (Marshall and Hoffmaster): Effect of altitude on respiratory flow patterns. Am. J. Physiol. 157: 265.
- ——— (and Neal): Physiological aspects of better housing. Pub. Health Rep. 64: 1337.
- Spencer, R. R. (and Melroy): Production of profound changes in bacteria by rhythmic exposure to heat (abstract). Cancer Research 9: 602.
- Studies of survival of unicellular species. I. Variations in life expectancy of a paramecium under laboratory conditions. J. Nat. Cancer Inst. 10: 1.
- See also Melroy, M. B. (and Spencer).
- Spicer, S. S.: Effect of para-aminobenzoic acid on the in vivo oxidation of hemoglobin. J. Indust. Hyg. and Toxicol. 31: 204.
- ——— (and Clark): Substrate utilization in mammalian erythrocytes. J. Biol. Chem. 179: 987.
- ——— (and Reynolds): Individual and age variations in metho-globin formation and reduction in rabbit erythrocytes. Am. J. Physiol. 159: 47.
- ——— (and Thompson): Heinz body formation in vivo. A property of methylene blue. J. Indust. Hyg. and Toxicol. 31: 206.
- Spicknall, Charles G. (Terry and Coatney): The treatment of falciparum malaria with inframuscular chloroquine. Am. J. Med. Sc. 218: 374.
- See also Dorset, V. J. (Spicknall and Terry).
- \*Steele, J. Murray (Brodie, Messinger, Soberman, Berger, and Gladston): The relationship of body water to basal metabolic rate and surface area. Tr. Assoc. Am. Physicians 62: 214.
- Steinman, Harry G. (and Eagle): Growth and survival factors for cultivated and pathogenic *Treponema pallidum*. In A symposium on current progress in the study of venereal diseases, Washington D. C., United States Government Printing Office, 1949, p. 12.
- Stewart, Harold L.: The pathology of chemical carcinogenesis. Am. J. Clin. Path. 19: 1095.
- ——— (Hare, Lorenz, and Bennett): Adenocarcinoma and other lesions of the glandular stomach of mice, following intramural injection of 20-methylcholanthrene. J. Nat. Cancer Inst. 10: 359.

- Stewart, Harold L.: Induction of adenocarcinoma and other lesions of glandular stomach in rats by intramural injection of 20-methylcholanthrene (abstract). Cancer Research 9: 618.
- \* (and Lorenz): Histopathology of induced precancerous lesions of the small intestine of mice. Reprinted from the J. Nat. Cancer Inst. 7: 239 (1947). Acta Unio Internationalis Contra Cancrum 6: 749.
- Morbid anatomy, histopathology, and histopathogenesis of forestomach carcinoma in mice fed carcinogenic hydrocarbons in oil emulsions. J. Nat. Cancer Inst. 10: 147.
- See also Burgoyne, F. H. (Heston, Hartwell, and Stewart).
- Stewart, Laura C. (Richtmyer and Hudson): The oxidation of volemitol by aceto-bacter suboxydans and by acetobacter xylinum. J. Am. Chem. Soc. 71: 3532.
- Stoenner, Herbert G. (Jenkins and Branhall): Studies of brucellosis in Utah. J. Infect. Dis. 85: 213.
- ——— (Menciner and Fraser): An outbreak of ovine listeriosis in Utah. J. Am. Vet. Assoc. 115: 174.
- Stokes, John H. (Falk and Gammon): Effect of five years of penicillin alone on neurosyphilis. Including some comparisons with penicillin methods. Am. J. Syph., Gonor., and Ven. Dis. 33: 537.
- Stough, B. Dolores (King and Eyles): Extension of known range of Aedes atropalpus (Coquillett) southeastward into Georgia. Mosquito News 9: 173.
- Straub, Conrad P.: Undergraduate sanitary engineering training in the United States. Pub. Health Rep. 64: 1315.
- Sullivan, Thelma D. (McGregor, Eads, and Davis): Incidence of Trypanosoma cruzi, Chagas, in Triatoma (Hemiptera, Reduviidae) in Texas. Am. J. Trop. Med. 29: 453.
- Sussman, Oscar: See Parker, Ralph R. (and Sussman).
- Swinney, Daniel D.: Distribution and salaries of directors of vital statistics and statisticians in State health departments as of August 1948. Pub. Health Rep. 64: 1133.
- Symeonidis, Alexander: Eclampsia-like condition in pregnant rats injected with progesterone. J. Nat. Cancer Inst. 10: 711.
- Szent-Győrgyi, A.: Attacks on muscle. Science 110: 411.
- \* Muscle research. Scient. American 180: 22, June.
- ---- See also Rozsa, Georg (Szent-Győrgyi and Wyckoff).

## Т

- Tabor, Elbert C.: See Osborne, Elton S. (Tabor, Bouser, Anderson, and Frankhauser).
- Tauber, Henry: Protein synthesis by chymotrypsin. J. Am. Chem. Soc. 71:
- ——— (Kershaw and Wright): Studies on the growth inhibitor fraction of lima beans and isolation of a crystalline heat-stable trypsin inhibitor. J. Biol. Chem. 179: 1155.
- Taylor, D. Jane (Greenberg and Coatney): Experimental infection of guinea pigs with Endamoeba histolytica (abstract). J. Parasitol. 35: 24, Dec. Supp., Sec. 2.
- --- See also Josephson, Edward S. (Taylor, Greenberg, and Nadel).
- Terry, Luther L.: See Dorset, V. J. (Spicknall and Terry); Dorset, V. J. (and Terry); Spicknall, Charles G. (Terry and Coatney).
- Thomas, Mary Ann: See Bryan, W. Ray (Maver, Moloney, Thomas, and Sells).

Thomas, Robert C.: Operation studies of home milk pasteurizers. Pub. Health Rep. 64: 1411.

Thompson, E. C.: See Dautrebande, L. (Alford, Irwin, Mitchell, Thompson, Weaver, and Wood); Spicer, S. S. (and Thompson).

Thompson, Frederick A., Jr. (and Magnuson): An attempt to produce aortic lesions of syphilis in experimental animals (abstract). In A symposium on current progress in the study of venereal diseases, Washington, D. C., United States Government Printing Office, 1949, p. 169.

See also Magnuson, Harold J. (and Thompson).

Thompson, J. W.: See Voegtlin, Carl (and Thompson).

Thornton, Helen (Ellerbrook, Rhees, and Lippincott): Complement fixation in animal neoplasia. I. A study of technics for measurement of the reaction in rabbit serum with special reference to the temperature of inactivation (abstract): Cancer Research 9: 627.

- See also Ellerbrook, Lester D. (Rhees, Thornton, and Lippincott).

Tibbitts, Clark: Education for adjustment to aging. Health Education J. (London) 7: 118.

——— (Editor) Living through the older years. Ann Arbor, Michigan, University of Michigan Press, 193 pp.

Tiboni, E. A.: See David, Wilfred D. (Wolff, Zinke, and Tiboni).

Tobie, Eleanor Johnson: See Belkin, Morris (Tobie, Kahler, and Shear); von Brand, Theodor (Tobie, Kissling, and Adams).

Tobie, John E.: Experimental infection of the rabbit with Endamoeba histolytica.
Am. J. Trop. Med. 29: 859.

Tolbert, B. M. (Dauben and Reid): Laboratory induction stirrer for closed systems. Analytical Chem. 21: 1014.

Tomlinson, Thomas N., Jr. (Fogg and Smith): Parasites found in certain Sciuridae of the southwestern United States. J. Nat. Malaria Soc. 8: 202.

Townsend, J. G.: Atmospheric pollution. Indust. Hyg. Newsletter 9: 5, Oct. Trembley, Helen Louise: See Coatney, G. Robert (Greenberg, Cooper, and

Trembley); Greenberg, Joseph (Trembley and Coatney).

Tullner, William M.: See Hertz, Roy (Dhyse and Tullner); Hertz, Roy (and Tullner); Hertz, Roy (Tullner, Westfall, and Emge); Hertz, Roy (Westfall, Barrett, and Tullner).

## U

Ullmann, Charles A. (and Hoyle): Remedial reading for mental health. School Executive 69: 38.

Usilton, Lida J. (and Morse): Attitude of venereal disease patients toward clinics and rapid treatment centers. J. Ven. Dis. Inform. 30: 275.

Utz, John P.: Studies on the inactivation of influenza and Newcastle disease viruses by a specific lipid fraction of normal animal sera. J. Immunol. 63: 273.

## V

Van Allen, Willard W.: Characteristics of commercial X-ray screens and films. VII-X. Pub. Health Rep. 64: 847, 979, 1124, 1560.

——— Simple apparatus for controlling temperatures of film-processing solutions. Pub. Health Rep. 64: 968.

Van Slyke, C. J.: The mounting toll of heart disease. Chicago Heart Assoc. Bull. 27: 1, Dec.

—— The problem of heart diseases. J. Am. Pharm. Assoc. 10: 530.

Vivian, D. L.: See Shear, M. J. (Downing, Hartwell, Leiter, MacCardle, Perrault, and Vivian).

Velat, Clarence A. (Weinsten and Otto): A stain for the rapid differentiation of the trophozoites of the intestinal amoebae in fresh, wet preparations (abstract).
J. Parasitol. 35: 17, Dec. Supp., Sec. 2.

Vestermark, Seymour: Training and its support under the National Mental Health Act. Am. J. Psychiat. 106: 413.

Voegtlin, Carl (and Thompson): Differential growth of malignant and non-malignant tissues in rats bearing hepatoma 31. Influence of dietary protein, riboflavin, and biotin. J. Nat. Cancer Inst. 10: 29.

von Brand, Theodor: The carbohydrate metabolism of parasites (abstract).
J. Parasitol. 35: 19, Dec. Supp., Sec. 2.

———— (Mehlman and Nolan): Influence of some potential molluscacides on the oxygen consumption of Australorbis glabratus. J. Parasitol. 35: 475.

——— (Tobie, Kissling, and Adams): Physiological and pathological observations on four strains of *Trypanosoma cruzi*. J. Infect. Dis. 85: 5.

von Oettingen, W. F. (Powell, Sharpless, Alford, and Pecora): Relation between the toxic action of chlorinated methanes and their chemical and physiological properties. National Institutes of Health Bulletin No. 191, Washington, D. C., United States Government Printing Office, 85 pp.

## W

Walters, Francis J.: Oral structures. In Air pollution in Donora, Pa. Public Health Bulletin No. 306, p. 61.

Walton, Mary: See Watt, James (and Walton).

Waravdekar, V. S. (and Leiter): Effect of peltatins on cytochrome oxidase activity of mouse tumors and organs (abstract). Cancer Research 9: 625.

Watt, James (and Walton): Relative familial attack rates as a measure of the pathogenicity of an organism: Organisms associated with diarrheal disease. Am. J. Hyg. 50: 263.

Wayne, D. Levillain: See Heston, Walter E. (Deringer and Wayne).

Weaver, F. L.: See Dautrebande, L. (Alford, Irwin, Mitchell, Thompson, Weaver, and Wood).

Webster, Stewart H. (and Liljegren): Organ: Body weight ratios for certain organs of laboratory animals. II. Guinea pig. Am J. Anat. 85: 199.

Weinstein, Paul P.: The cultivation of the free-living stages of parasitic nematodes in the absence of living bacteria (abstract). J. Parasitol. 35: 14, Dec. Supp., Sec. 2.

- See also Velat, Clarence A. (Weinstein and Otto).

Westfall, B. B.: See Hertz, Roy (Tuliner, Westfall, and Emge); Hertz, Roy (Westfall, Barrett, and Tuliner).

Whitacre, Frank E. (Hingson and Turner): The treatment of eclampsia by means of regional nerve block. Obst. and Gynec. Surv. 4: 350.

White, Julius: See Fones, William S. (and White).

Wight, Kent (and Burk): The effect of certain sterols on succinoxidase, and glycolysis of tumor subcellular (particulate) fractions. Cancer Research 9: 609.

Wilkerson, Hugh L. C.: Diabetes control in the public health program. New York State J. Med. 49: 2945.

Wilson, Elizabeth P.: See Evans, Virginia J. (Earle, Duchesne, Edward, Wilson, Likely, and Schilling).

Wolff, Arthur H.: See David, Wilfred D. (Wolff, Zinke, and Tiboni).

Wood, E. J.: See Dautrebande, L. (Alford, Irwin, Mitchell, Thompson, Weaver, and Wood).

Woodruff, L.M. (and Firminger): Hemoglobinemia and hemoglobinuric nephrosis complicating transurethral resection of the prostate. J. Urology 62: 168.

- Woods, Mark W. (DuBuy, Burk, Hesselbach, and Lackey): Mitochondria and associated sub-cellular particulates in mouse melanomas (abstract). Cancer Research 9: 554.
- —— See also Kahler, Herbert (and Woods); Riley, Vernon T. (Hesselbach, Woods, and Burk).
- Woodward, R. L. (and LeBosquet): Effects of reservoir operation on stream water quality. Pub. Health Rep. 64: 1223.
- Woolsey, Theodore D.: An investigation of low mortality in certain areas. Pub. Health Rep. 64: 909.
- Wright, Earl O.: See Freeble, Charles R. (Wright and Bogue).
- Wright, John T.: See Hottle, George A. (Nedzel, Wright, and Bell).
- Wright, Marjory H.: Thymidine and vitamin B12. Science 110: 257.
- Wright, R. D. (Nicholson, Mahoney, and Arnold): The treatment of early syphilis with three injections of penicillin and with one injection of penicillin. In A symposium on current progress in the study of venereal diseases, Washington, D. C., United States Government Printing Office, 1949, p. 28.
- See also Tauber, Henry (Kershaw and Wright).
- Wyckoff, Ralph W. G.: Electron microscopy. New York, Interscience Press, 248 pp.
- ---- The nature of bacteriophage. Sc. News 14: 60.
- —— See also Hedan, C. G. (and Wyckoff); Labaw, L. (Mosley and Wyckoff); Rozsa, Georg (Szent-Györgyi and Wyckoff); Scott, David B. (and Wyckoff).

## Y

- Yagoda, H. (and Kaplan): Spontaneous neutron emission from uranium and samarium. Physiol. Rev. 76: 702.
- Yiengst, Marvin J. (and Shock): Effect of oral administration of vitamin A on plasma levels of vitamin A and carotene in aged males. J. Gerontol. 4: 205.
- Young, Martin D.: The incidence of blood parasites in Liberia (abstract). J. Parasitol. 35: 24, Dec. Supp., Sec. 2.
- ——— (and Eyles): Parasites resembling Plasmodium ovale in strains of Plasmodium vivax. J. Nat. Malaria Soc. 8: 219.
- ——— (and Johnson): A malaria survey of Liberia. J. Nat. Malaria Soc. 8: 247.
- See also Coatney, G. Robert (Cooper, Ruhe, and Young).
- Younger, Julius S. (and Algire): Effect of vascular occlusion on transplanted tumors (abstract). Cancer Research 9: 615.
- The effect of vascular occlusion on transplanted tumors. J. Nat. Cancer Inst. 10: 565.
- ----- See also Grobstein, Clifford (and Younger).

## Z

- Zinke, David: See David, Wilfred D. (Wolff, Zinke, and Tiboni).
- Zukel, John W.: Observations on ovarian development and fat accumulation in Anopheles quadrimaculatus and Anopheles punctipennis. J. Nat. Malaria Soc. 8: 234.
- A winter study of Anopheles mosquitoes in southwestern Georgia, with notes on some culicine species. J. Nat. Malaria Soc. 8: 224.
- Zwally, M. R.: See Mahoney, J. F. (and Zwally).

